County: Shawn Distance and direct						r Township N		Range Number
Distance and direc		SE 1/4		SW 14	18	T 11	S	R 17 EW
	tion from nearest tow	n or city street ad	dress of well if loc	ated within c	ity?			
Highway 24, (-			-			
2 WATER WELL	OWNER: Brumit C	Oil Co. Inc						J.,
	Box# : P.O. Box					Description Application	Dist	: C)M-1 D
			CC0.40			-		sion of Water Resources
	de : Leavenw					Application Nu		
3 LOCATE WELL	LCCCTION DOV. L.							76.45
_	N In							3
A :	T N	VELL'S STATIC V	VATER LEVEL	25.4	ft. below land s	urface measured	on mo/day/	yr 9/20/95
								nping gpr
- W-	NE I							mping gpi
e W								. to
≥ w ———			BE USED AS:					
		1 Domestic				9 Dewatering	_	-
sw-	SE						. <i>'</i>	Other (Specify below)
	ī	2 Irrigation						Soil Vapor Extract.
<u> </u>			acteriological sam	pie submiπed	•			mo/day/yr sample was
	3	submitted				ater Well Disinfecte		No √
TYPE OF BLAN	K CASING USED:	5	Wrought iron	8 Cor	ocrete tile	CASING JO		d Clamped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	t 9 Oth	er (specify bek	ow)	Weld	ed _.
(2)PVC	4 ABS	7	Fiberglass				Threa	aded 🗸
	ter i							. in. to
								b Sch. 40
TYPE OF SCREEN	OR PERFORATION N	MATERIAI	.,g	(7) _F	NC		estos-cem	
1 Steel	3 Stainless st		Fiberglass					
		-	-)
2 Brass	4 Galvanized		Concrete tile	9 A			ne used (op	
	ORATION OPENINGS			zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous				wrapped		9 Drilled holes		
2 Louvered s		punched	7 Torc			10 Other (specify	') <i></i>	
SCREEN-PERFOR	ATED INTERVALS:	From 14	4.4 ft to	24 4		om	A	to
				4717	π., ⊢r	UIII		10
		From	ft. to .		ft., Fr	om	ft.	to
	PACK INTERVALS:	From	ft. to .		ft., Fr	om	ft.	to
		From		25	ft., Fr ft., Fr	om	ft. ft.	to
GRAVEL F	PACK INTERVALS:	From		25	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft.	to
GRAVEL F	PACK INTERVALS:	From		25	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft.	to
GRAVEL F GROUT MATERI Grout Intervals: Fr	PACK INTERVALS: AL: 1 Neat cer rom 0 ft	From		25	ft., Fr ft., Fr ft., Fr ntonite 4 to 13	om	ft ft ft.	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest	PACK INTERVALS: AL: 1 Neat cer rom	From	ft. to . 13. ft. to . 15. ft. to . 16. ft. to . 17. ft. to . 18. ft. to . 19. ft. to .	25	ft., Frft., Frft., Frft., Frttonite 4	Otherft, From	ft ft ft	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank	PACK INTERVALS: AL: 1 Neat cer rom	From	ft. to . 13 ft. to . 15 ft. to . Cement grout ft., From 7 Pit privy	25 4.5 3 Ber	ft., Frft., Frft., Frtonite 4 t. to13 10 Lives 11 Fuel	Otherft, From stock pens storage	ft ft ft	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess po	From	ft. to . 13 ft. to . ft. to . Cement grout . ft., From 7 Pit privy 8 Sewage lag	25 4.5 3 Ber	ft., Frft., Frft., Frtonite 4 t. to13 10 Lives 11 Fuel 12 Ferti	om	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag	From	ft. to . 13 ft. to . 15 ft. to . Cement grout ft., From 7 Pit privy	25 4.5 3 Ber	ft., Frft., Frft., Frft., Frft., Frft. 4 to13 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well?	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Watertight sev	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 3 Ber	ft., Frft., Frft., Frft., Frft., Frft. 4 to13 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Watertight sev Sirection from well?	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cer from 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 1 1 3	PACK INTERVALS: AL: 1 Neat cer om 0 ft source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5	PACK INTERVALS: AL: 1 Neat cer rom 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9	PACK INTERVALS: AL: 1 Neat cer rom 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Septic tank TO TO The septic tank TO The septic tank To The septic tank To The septic tank The s	PACK INTERVALS: AL: 1 Neat cer rom 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Watertight several s	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 Al	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Sirection from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft. ft., Fr. f	om	14 AI 15 OI 16 OI UGGING IN	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	om	14 AI 15 OI 16 OI UGGING IN	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	Other	14 AI 15 O 16 O UUGGING IN	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest Septic tank Septic tank Septic tank Septic tank Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13	PACK INTERVALS: AL: 1 Neat cer from . 0 ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Silt, Light Brow	From	ft. to . ft. to . ft. to . ft. to . Cement grout ft., From Pit privy Sewage lag Feedyard	25 4.5 Ber	ft., Fr. ft.	om	14 AI 15 O 16 O UUGGING IN	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13 13 25	PACK INTERVALS: AL: 1 Neat cer om . 0 . ft. source of possible co 4 Lateral 5 Cess power lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Clay, Medium I Silt, Light Brow Silt, Medium Br	From	ft. to . 13	25 4.5 Ber 4.5 ft	ft., Fr. ft.	Other	14 Al 15 O 16 O UGGING IN UGGING IN	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13 13 25 CONTRACTOR'S	PACK INTERVALS: AL: 1 Neat cer rom . 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Clay, Medium I Silt, Light Brow Silt, Medium Bi	From	ft. to . 13	25 4.5 Ber 4.5 ft	ft., Fr. ft.	Other	14 Al 15 O 16 O UGGING IN UGGING IN UGGING IN UGGING IN UGGING IN	to
GRAVEL F GROUT MATERI Frout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13 13 25 CONTRACTOR'S and was completed of	PACK INTERVALS: AL: 1 Neat cer rom 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Clay, Medium I Silt, Light Brow Silt, Medium Bi OR LANDOWNER'S on (mo/day/year)	From	ft. to . 13	Jas (1) const	ft., Fr. ft.	Other	14 Al 15 Or 16 Or 16 Or 17 Or 18 Or	to
GRAVEL F GROUT MATERI Grout Intervals: Fr What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 1 1 3 3 5.5 5.5 9 9 13 13 25 CONTRACTOR'S and was completed of	PACK INTERVALS: AL: 1 Neat cer rom . 0 ft source of possible co 4 Lateral 5 Cess po wer lines 6 Seepag Unknown Topsoil Clay, Dark Bro Clay, Medium I Clay, Medium I Silt, Light Brow Silt, Medium Bi OR LANDOWNER'S on (mo/day/year)	From	ft. to . 13	Jas (1) const	ft., Fr. ft.	Other	14 Al 15 Or 16 Or 16 Or 17 Or 18 Or	to

WATER WELL RECORD Form WWC-5 KSA 82a-1212