

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

This is the same log as TH 1-78 from data - w

Location given on map

use DDC as far as #98 (TH 1-78)

✓ 3RT (if appropriate) OK

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment - Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County JEFFERSON	Fraction SW SE 1/4 SE 1/4 SE 1/4	Section number 16	Township number T 11 S R 17	Range number (B)W
2. Distance and direction from nearest town or city: 2 miles East of Grantville, Kansas			3. Owner of well: Hamm Construction Co. R.R. or street: Perry, Kansas City, state, zip code:			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 18" in. Completion date 3-10-78 Well depth 47 ft.		
		<p>Well #1</p> <p>To Grantville 2 miles</p> <p>Hwy 24</p> <p>County Rd.</p>		7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input checked="" type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Topsoil		0.0	1.0	9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 2' in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 28.53 lbs./ft. Dia. 8" in. to 35 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 0.322		
Brown Silty Clay		1.0	33.0	10. Screen: Manufacturer's name Johnson Type Wire Wound Dia. 8" Slot/gauze 0.045 Length 12'0" Set between 35 ft. and 47 ft. <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? <input checked="" type="checkbox"/> YES Size range of material d. 1/25		
Brown Medium to Coarse Sand w/trace		33.0	45.0	11. Static water level: <input type="checkbox"/> mo./day/yr. 23 ft. below land surface Date 5-4-78		
Fine sand				12. Pumping level below land surfaces: 11.7 ft. after 4 hrs. pumping 222 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 225 g.p.m.		
Gray Brown Medium to fine sand w/trace coarse sand		45.0	47.0	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
Gray Brown Weathered Limestone		47.0		14. Well head completion: <input type="checkbox"/> Pitless adapter <input checked="" type="checkbox"/> 2' inches above grade		
Total depth		47.0		15. Well grouted? YES With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 20 ft.		
				16. Nearest source of possible contamination: ft. 100 Direction SOUTH Type HIGHWAY Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Vacuzzi Model number 8D722707 HP 7 1/2 Volts 440 Length of drop pipe 76 ft. capacity 200 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation: 		19. Remarks: use 870		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Layne - Western 1441 Business name License No. Address 1010 W St 39th K.C. Mo. Signed Don D. Hyatt Date 12-20-78 Authorized representative		

T 11 S R 17 (B) W