WATER WELL RECORD			Form WWC-5	Division of Wat	Division of Water Resources; App. No.		
		F WATER WELL:	Fraction	Section Number	1		
Coun	ty: Jeff	erson	NE 1/4 SE 1/4 SE	4 14	T 11 S	R 17E E/W	
Dista	Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits						
1	ed within c	•	•	Latitude:			
		and 1 mile north		Longitude:			
1		LOWNER: Verlin C		Elevation:			
	St. Addre	2001 244	sworth Rd	Datum:			
	, State, ZIP	rerry, r	(s. 66077	Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
	ATION						
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)						
SEC	TION BOX						
	N Pump test data: Well water wasft. after hours pumpinggpm Est. Yield7gpm: Well water wasft. after hours pumpinggpm						
	WELL WATER TO BE USED AC. 5 Public water gumly 9 Air conditioning 11 Injection well						
	$\begin{bmatrix} -1 & 0 & -1 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$						
E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs						
	Sample was submitted						
	S						
5 TVPI	FOFCAS	ING USED: 5 Wrought	Iron & Concrete	ile CASIN	IG JOINTS: Glued	Clamped	
		3 RMP (SR) 6 Asbestos-	Cement 9 Other (spe	cify below)	Welded	Clamped	
Blank ca	asing diam	ter 5 in. to	ft Diameter	in. to ft.	Diameter	in_ toft.	
2 PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to ft., Diameter in., to ft., Diameter in., Weight 2.82 lbs./ft. Wall thickness or guage No. •258							
TYPE O	F SCREE	N OR PERFORATION MATE	RIAL:				
1	Steel	3 Stainless Steel 5 Fiber		9 ABS			
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From. 25 ft. to 100 ft., From ft. to ft. ft. GRAVEL PACK INTERVALS: From 25 ft. to ft.							
	GRAVEL	PACK INTERVALS: From.	It. to	It., From .	It. to	п.	
From							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From3 ft. to25 ft., From ft. to ft., From ft., From ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 <u>Lateral lines</u> 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
		sewer lines 6 Seepage pit		rtilizer Storage 150	il well/gas well		
		1?south		many feet?			
FROM	TO	LITHOLOGIC	LOG FR	OM TO	PLUGGING INT	ERVALS	
_0	2	top soil					
2	9	clay brown					
9	33	clay brown sandy					
33	61	clay tan sandy					
61_	68	clay grey	_				
68	81	fine/course sand					
81	84	limestone grey					
84	100	shale grey					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 7-16-08 and this record is true to the best of my knowledge and helief.							
Kansas Water Well Contractor's License No. 182. This Water Well Record was completed on (mo/day/year)							
under the business name of Strader Drilling Co., Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please file in blanks underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5	5522. Seno	one to WATER WELL OWN					
http://www.kdheks.gov/waterwell/index.html.							