WATER WELL R		orm WWC-5	Div	sion of Water			
Original Record		Change in Well Use	Reso	urces App. No.		Well ID	
1 LOCATION OF W	Fraction	Section Number Township Number Range Number					
County: Jefferson						The state of the s	
2 WELL OWNER: Last Name: Shirley First: Robert Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owner's address, check here:							
Address: 3703 South St.							
City: Grantville	Stat	e: KS ZIP: 66429					
3 LOCATE WELL	T			1	20 07210	4.4.4	
WITH "X" IN	4 DEPTH OF COMPLETED WELL: 89 II. 5 Lafitude: \(\sum \) (decimal degrees						
SECTION BOX:	Depth(s) Groundwater Encountered: 1)						
N	2)						
T X	WELL'S STATIC WATER LEVEL:						
1 1 ' 1 ' 1							
NW NE	above land surface, measured on (mo-day-yr) Pump test data: Well water was			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
W	after1.5. hours pumping 450 gpm						
1 1 1 1 1	Well water was ft.						
SW SE	after hours pumping gpm						
	Estimated Yield		6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map				
S							
1 mile in. to ft.							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID							
1. Domestic:		blic Water Supply: well ID.		10. [] Oll F	le: well ID	case	
Lawn & Garden	0. [] De	watering: how many wells? uifer Recharge: well ID					
Livestock		onitoring: well ID					
2. Irrigation	9. Environmental Remediation: well ID			a) Closed Loop Horizontal Vertical			
3. Feedlot		r Sparge				oischarge Inj. of Water	
4. Industrial		covery Injection					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded							
Casing diameter 16 in to 50 ft Diameter in to ft Diameter in to ft							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From .40							
GRAVEL PACK INTERVALS: From 0 ft. to 6 ft., From 26 ft. to 50 ft., From ft. to ft.							
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
Nearest source of possible contamination:							
Septic Tank							
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
☐ Other (Specify) .NQNE							
		Distance from					
10 FROM TO		HOLOGIC LOG	FROM	TO L	THO. LOG (cont.)	or PLUGGING INTERVALS	
0 5	No sample						
	sandy silt - brn						
	sand VF-C w/ c						
	sand VF-M Brn						
	sand VF-M Gra						
	and & gravel -						
	and & gravel w/clay Notes:						
41 49.5 sand & gravel C-VC gray							
49.5 50 limestone- gray							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .2-17-16							
under the business name of Rieschick Drilling Co. Inc. Signature							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
Mail 1 white copy ald	ong with a fee of \$5.0	0 for each constructed well to: K	ansas Department	of Health and En	vironment, Bureau of V	Vater, GWTS Section	
	ong with a fee of \$5.0	0 for each constructed well to: K Kansas 66612-1367. Mail one t	ansas Department	of Health and En	vironment, Bureau of V	Vater, GWTS Section,	