


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County JEFFERSON	Fraction NW NE 1/4 NE 1/4 NE 1/4	Section number 22	Township number T 11 S	Range number R 18 E
2. Distance and direction from nearest town or city:	.5 N		3. Owner of well: Bill Myers		
Street address of well location if in city:	OF PERRY		R.R. or street: City, state, zip code: PERRY, KS 66073		
4. Locate with "X" in section below:	Sketch map: 		6. Bore hole dia. 12 in. Completion date 5-19-76 Well depth 50 ft.		
5. Type and color of material	From	To	7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
TOP SOIL	0	5	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Blue Clay	5	40	9. Castings: Material PVC Height: (above) or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 24 in. RMP <input type="checkbox"/> PVC 9L Weight 2.74 lbs./ft. 2.82 Dia. 5 in. to 50 ft. depth Wall Thickness: inches or 2.74 Dia. 5 in. to 50 ft. depth gage No. 1258		
WATER BEARING FINE SAND - COARSE SAND	40	50	10. Screen: Manufacturer's name PUMPCO Type PVC Dia. 5 Slot/gauze .020 Length 10 Set between 40 ft. and 50 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material .030x.060		
well production has dropped a lot in 3 years			11. Static water level: 30 ft. below land surface Date 5-19-76		
			12. Pumping level below land surfaces: Air Test ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 20 g.p.m.		
			13. Water sample submitted: ____ mo./day/yr. <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ____		
			14. Well head completion: CAPPED ____ Pitless adapter 24 inches above grade		
			15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
			16. Nearest source of possible contamination: SEPTIC ft. 600 Direction E Type SEPTIC Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
			17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: ____ Submersible ____ Turbine ____ Jet ____ Reciprocating ____ Centrifugal ____ Other		
			18. Elevation: 860 Topography: ____ Hill ____ Slope ____ Upland <input checked="" type="checkbox"/> Valley		
			19. Remarks: OWNER WILL INSTALL SLAB		
			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. STRADER DRUG CO INC 182 Business name License No. Address RT1 HAITON, KS Signed Dale Ashen Date 5-23-76 Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5