

mw-6

1 LOCATION OF WATER WELL: Fraction SW 1/4 SW 1/4 SW 1/4 Section Number 23 Township Number T 11 S Range Number R 18 E
 County: Jefferson

Distance and direction from nearest town or city street address of well if located within city?

Front Street, Perry, Kansas

2 WATER WELL OWNER:

RR#, St. Address, Box # :

City of Perry

Board of Agriculture, Division of Water Resources

City, State, ZIP Code :

Perry, Kansas 66066

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION: 848.73

Depth(s) Groundwater Encountered 1. 23 ft. 2. — ft. 3. — ft.

WELL'S STATIC WATER LEVEL 22.5 ft. below land surface measured on mo/day/yr 1-26-95

Pump test data: Well water was — ft. after — hours pumping — gpm

Est. Yield — gpm: Well water was — ft. after — hours pumping — gpm

Bore Hole Diameter 8.625 in. to 30 ft., and — in. to — ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well mw-6

Was a chemical/bacteriological sample submitted to Department? Yes — No X If yes, mo/day/yr sample was submitted —
 Water Well Disinfected? Yes — No X

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued — Clamped —

1 Steel 3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded —

2 PVC 4 ABS

7 Fiberglass

Threaded X

Blank casing diameter 2 in. to 20 ft., Dia — in. to — ft., Dia — in. to — ft.

Casing height above land surface 0 in., weight Sch 40 PRC lbs./ft. Wall thickness or gauge No. —

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel

5 Fiberglass

8 RMP (SR)

10 Asbestos-cement

2 Brass 4 Galvanized steel

6 Concrete tile

9 ABS

11 Other (specify) —

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot

3 Mill slot

2 Louvered shutter

4 Key punched

SCREEN-PERFORATED INTERVALS: From 20 ft. to 30 ft., From — ft. to — ft., From — ft. to — ft.

From 19 ft. to 30 ft., From — ft. to — ft., From — ft. to — ft.

From 19 ft. to 30 ft., From — ft. to — ft., From — ft. to — ft.

From — ft. to — ft., From — ft. to — ft., From — ft. to — ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From 0 ft. to 17 ft., From 17 ft. to 19 ft., From — ft. to — ft.

What is the nearest source of possible contamination:

1 Septic tank

4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit

9 Feedyard

12 Fertilizer storage

16 Other (specify below)

13 Insecticide storage

contaminated site

Direction from well?

How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
GL	2.0	Fill			Flush Mount Waiver
2.0	4.5	Silty Clay			Don Taylor
4.5	11.0	Clayey Silt			1/12/95
11.0	19.0	Silty Clay			
19.0	23.0	Clayey Silt			
23.0	28.0	Silty Sand			
28.5	30.0	Sand			
30.0	TD	End of Borehole			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-25-95 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 2-21-95

under the business name of Associated Environmental, Inc. by (signature) Daphne for Darin Duncan