


mw-8

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <b>Jefferson</b>	<b>SW 1/4 SW 1/4 SW 1/4</b>	<b>23</b>	<b>T 11 S</b>	<b>R 18</b>

Distance and direction from nearest town or city street address of well if located within city?

**Front Street, Perry, Kansas**

2 WATER WELL OWNER:	RR#, St. Address, Box #	City of Perry	Board of Agriculture, Division of Water Resources
City, State, ZIP Code		<b>Perry, Kansas 66066</b>	Application Number: —

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ft. ELEVATION:
	<b>30</b>	<b>847.31</b>
	Depth(s) Groundwater Encountered 1. <b>21.4</b> ft. 2. — ft. 3. — ft.	
	WELL'S STATIC WATER LEVEL <b>20.98</b> ft. below land surface measured on mo/day/yr <b>1-26-95</b>	
	Pump test data: Well water was — ft. after — hours pumping — gpm	
	Est. Yield — gpm: Well water was — ft. after — hours pumping — gpm	
	Bore Hole Diameter <b>8.625</b> in. to <b>30</b> ft. and — in. to — ft.	
	WELL WATER TO BE USED AS:	
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only <b>10 Monitoring well</b>	
	Was a chemical/bacteriological sample submitted to Department? <b>No</b> If yes, mo/day/yr sample was submitted —	
	Water Well Disinfected? Yes — No <b>X</b>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued — Clamped —
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<b>2 PVC</b>	4 ABS	7 Fiberglass	Welded —
Blank casing diameter <b>2</b> in. to <b>19.5</b> ft. Dia — in. to — ft. Dia — in. to — ft.			Threaded <b>X</b>
Casing height above land surface <b>0</b> in. weight <b>Sch. 40</b> lbs./ft. Wall thickness or gauge No. —			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	<b>3 Mill slot</b>	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From <b>19.5</b> ft. to <b>29.5</b> ft. From — ft. to — ft. From — ft. to — ft.			
<b>SAND</b>			
GRAVEL PACK INTERVALS: From <b>18</b> ft. to <b>30</b> ft. From — ft. to — ft. From — ft. to — ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <b>0</b> ft. to <b>16</b> ft. From <b>16</b> ft. to <b>18</b> ft. From — ft. to — ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	<b>contaminated site</b>
Direction from well?			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<b>GL</b>	<b>1.0</b>	<b>Fill</b>			<b>Flush Mount Waiver</b>
<b>1.0</b>	<b>4.0</b>	<b>Silty Clay</b>			<b>Don Taylor</b>
<b>4.0</b>	<b>19.0</b>	<b>Clayey Silt</b>			<b>1/12/95</b>
<b>19.0</b>	<b>30.0</b>	<b>Silty Sand</b>			
<b>30.0</b>	<b>TD</b>	<b>END OF BOREHOLE</b>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>1-25-95</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>585</b> This Water Well Record was completed on (mo/day/yr) <b>2-21-95</b> under the business name of <b>Associated Environmental, Inc.</b> by (signature) <b>Johnson for Dawn Duncanson</b>
--