


1 LOCATION OF WATER WELL: County: Jefferson		Fraction SE 1/4 NE 1/4 NE 1/4		Section Number 35	Township Number T 11 S	Range Number R 19 EW
Distance and direction from nearest town or city street address of well if located within city? Jefferson - Douglas County Landfill, Perry, Kansas						
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Hamm, N.R. Asphalt, Inc. P.O. Box 17 Perry, Kansas 66073 Board of Agriculture, Division of Water Resources Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL 117.5 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 117.5 ft. 2. 117.5 ft. 3. 117.5 ft. WELL'S STATIC WATER LEVEL 117.5 ft. below land surface measured on mo/day/yr Pump test data: Well water was 117.5 ft. after 5 hours pumping 117.5 gpm Est. Yield 117.5 gpm: Well water was 117.5 ft. after 5 hours pumping 117.5 gpm Bore Hole Diameter 7 in. to 1.5 ft. and 5 in. to 117.5 ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes X No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No X				
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Threaded 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded Blank casing diameter 0 in. to 80.5 ft. Dia. Sch 40 PVC in. to 80.5 ft. Dia. Casing height above land surface 30 in., weight Sch 40 PVC lbs./ft. Wall thickness or gauge No. 10 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 80.5 ft. to 117.5 ft., From 80.5 ft. to 117.5 ft., From 80.5 ft. to 117.5 ft. GRAVEL PACK INTERVALS: From 78.6 ft. to 117.5 ft., From 78.6 ft. to 117.5 ft., From 78.6 ft. to 117.5 ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 76.4 ft., From 76.4 ft. to 78.6 ft., From 78.6 ft. to 117.5 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Landfill some distance away 13 Insecticide storage Direction from well? away						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/26-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 11-1-91 under the business name of Terracon Consultants, SE by (signature) [Signature]						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						