	~	WATE	R WELL RECORD	Form WWC-	5 KSA 8	_{2a-121} PLUGGING R	EPORT	
1 LOCATION OF WAT		Fraction		Se	ection Number		ber	Range Number
County: JEFFERSC	N	NE 1/2		/4		т 11	s	R 19 E/W
Distance and direction	from nearest to	wn or city street a	address of well if loo	ated within city?				
	1 no	orth of Law	rence					
2 WATER WELL OW	NER: N.R.	. Hamm Quar	ry, Inc.					
RR#, St. Address, Box # : P.O. Box 17 WELL								
City, State, ZIP Code	Peri	ry, KS 660	073 Plugging Report Application Number:					
LOCATE WELL'S LO	OCATION WITH	4 DEPTH OF	COMPLETED WELL	84	ft. ELE\	/ATION:		
→ AN "X" IN SECTION	N BOX:	Depth(s) Ground	dwater Encountered	1	ft	. 2	ft. 3.	tt.
7	1	WELL'S STATIO	WATER LEVEL	. 45 ft.	below land s	surface measured on m	no/day/yr	10-21-92
	l NG							nping gpm
NW	NE X	Est. Yield	gpm: Well v	vater was	ft.	after	hours pun	nping gpm
<u> </u>		Bore Hole Diam	eterin.	to		, and	in.	to
* w -	1 .	WELL WATER	TO BE USED AS:	5 Public wat	ter supply	8 Air conditioning	11 li	njection well
7 1	1	1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12_0	ther (Specify below)
3W	36	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well .	Landi	ill sampling
1	i }	Was a chemical	/bacteriological samp	ole submitted to [Department?	YesNo	; If yes,	mo/day/yr sample was sub
1 5		mitted			V	Vater Well Disinfected?		No
5 TYPE OF BLANK C	ASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOIN	rs: Glued	Clamped
1 Steel	3 RMP (S	SR)	6 Asbestos-Ceme	ent 9 Other	r (specify be	low)	Welde	d
2 PVC	4 ABS		7 Fiberglass					ded
								n. to ft.
Casing height above la	and surface	24	in., weight		lb	s./ft. Wall thickness or	gauge No	
TYPE OF SCREEN OF	R PERFORATIO	N MATERIAL.		7 P'	VC	10 Asbes	tos-cemer	nt a sad
Steel	3 Stainles	s steel	5 Fiberglass	8 R	MP (SR)	11 Other	(specify) .	NA
2 Brass	4 Galvania	zed steel	6 Concrete tile	9 A	BS	12 None	used (ope	n hole)
SCREEN OR PERFOR	RATION OPENIN	NGS ARE:	5 G	auzed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slo	t 3 M	/lill slot	6 W	ire wrapped		9 Drilled holes		e et e
2 Louvered shutt	er 4 K	(ey punched		orch cut		10 Other (specify)		MA
SCREEN-PERFORATE	ED INTERVALS:							
GRAVEL PA	CK INTERVALS							
T		From	ft. t	A AVA	ft., F	rom neat cer	ft. to nentw	/ 25% bentonite
6 GROUT MATERIAL			2 Cement grout					
			π., From	π.				. ft. to
What is the nearest so			7 Dis			estock pens		
1 Septic tank 4 Lateral lines			7 Pit privy					
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Rock Quarry			
-	er lines 6 Seep	page pit	9 Feedyard	u			. 140,035. (2. 04-4-1
Direction from well? FROM TO		LITHOLOGIC	LOG	FROM	TO	nany feet?	GGING IN	TERVALS
1110101		EITHOLOGIC	LOG		†	0-3 Clay		
							cemen	t w/
					-		benton	
								•
	-							
7 CONTRACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: This water we	Il was (1) constr	ucted. (2) re	econstructed, or (3) plu	gged unde	er my jurisdiction and was
								wledge and belief. Kansas
Water Well Contractor							1-9	-,92
under the business na					by (sig		Win	bren
INSTRUCTIONS: Use to	voewriter or ball poin	t pen. PLEASE PRESS	FIRMLY and PRINT clear	y. Please fill in blank	s, underline or c	ircle the correct answers. Ser	id top three o	copies to Kansas Department
of Health and Environn	nent, Bureau of Wate	er, Topeka, Kansas 666	520-0001. Telephone: 913-	296-5545. Send one	to WATER WELL	OWNER and retain one for	your records	