<u> </u>	WATER WELL RECO		rm WWC-5	KSA 82a				757	
LOCATION OF WATER WELL:	Fraction	NU	, ) Sec	tion Number	Township N	- 1		e Number	
County: Sufflym	1 56 1/4 SE 1/4			35	) T //	S	R	-/ <del>E</del> /VV	
Distance/and/direction from nearest town	or city street address or well it	i located v	A nan	2 / MM	11/1				
1/2 1/2	n hunssies	$ \neq$	1amo	2 Lane	2(1)/1				
2 WATER WELL OWNER: HO					D 4 . 4		iniaiam af N	Mater Bessures	
RR#, St. Address, Box # : Po Bo	XII VC IN	12 -0	017			-	IVISION OF V	Vater Resources	
	erry, KS 6607	10 U	<i>)</i>		Application				
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:	i Depth(s) Groundwater Encounte	ered 1.		ft. 2	<u> </u>	ft. 3.		. ft. این میزاند ا	
I	VELL'S STATIC WATER LEVE								
NW   NE	Pump test data: W	ell water v	was	ft. at	ter	hours pun	nping	gpm	
	st. Yield gpm: W								
<u>.</u>	Bore Hole Diameter	.in. to		ft., a	and	in.	to		
# W	VELL WATER <del>-70 BE USE</del> D A		Public wate		8 Air conditioning		njection we		
-	1 Domestic W/F3 Feedlo	ot 6	Oil field wat	ter supply	9 Dewatering	$M^{12}$	Other (Spec	city below)	
'  '  '	2 Irrigation 4 Industr				Monitoring wel				
]	Vas a chemical/bacteriological s	sample sub	mitted to De				mo/day/yr :	sample was sub-	
I S n	nitted			Wa	ter Well Disinfecte		No		
5 TYPE OF BLANK CASING USED:	5 Wrought iro	on	8 Concre	ete tile	CASING JO	INTS: Glued	CI	lamped	
1 Steel 3 RMP (SR)	6 Asbestos-C	ement		(specify below					
(2)PVC 4 ABS	7 Fiberglass					Threa	ded		
Blank casing diameter ir	ı. to ft., Dia .		in. to		ft., Dia	i	n. to	ft.	
Casing height above land surface 3	H. below in weight			Ibs./	ft. Wall thickness	or gauge No	)		
TYPE OF SCREEN OR PERFORATION	MATERIAL:		7 PV	С		estos-cemer			
1 Steel 3 Stainless s	steel 5 Fiberglass			IP (SR)	11 Oth	er (specify)			
2 Brass 4 Galvanized	d steel 6 Concrete til	le	9 AB	S	12 No	ne used (ope	en hole)		
SCREEN OR PERFORATION OPENING	S ARE:	5 Gauzed	wrapped		8 Saw cut		11 None	(open hole)	
1 Continuous slot 3 Mill	slot	6 Wire wr	apped		9 Drilled holes				
2 Louvered shutter 4 Key		7 Torch c			10 Other (specif				
SCREEN-PERFORATED INTERVALS:	From								
	From								
GRAVEL PACK INTERVALS:	From	ft. to		ft., From	m	ft. to	) <i></i>		
	From	ft. to		ft., From	<u>n</u>	ft. to	)	ft.	
6 GROUT MATERIAL: 1 Neat ce			3 Bento		Other				
Grout Intervals: From/7ft	t. to ft., From	n <i></i>	ft.	to	ft., From				
What is the nearest source of possible co	ontamination:			10 Lives	tock pens		oandoned v		
1 Septic tank 4 Lateral	Septic tank 4 Lateral lines 7 Pit privy			11 Fuel	storage	15 Oil well/Gas well			
2 Sewer lines 5 Cess p	ool 8 Sew	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepag	ge pit 9 Feed	9 Feedyard			13 Insecticide storage LANDFELL				
Direction from well?	HAMM LANDFELL			How ma					
FROM TO	LITHOLOGIC LOG		FROM	то		LUGGING IN	IIERVALS		
			17	3	BENTONITA	_ (0.3	131		
			3	0	SOIL	(0:06	47		
				]					
				<u> </u>					
7 CONTRACTOR'S OR LANDOWNER	& CERTIFICATION: This water	r well was	(1) constru	cted, (2) reco	onstructed, or	lugged und	er my juris	diction and was	
completed on (mo/day/year) S A.	198			and this reco	rd is true to the b	est of my kno	wledge an	d belief. Kansas	
							96		
under the business name of				by (signa	. 400	Nufa	DD	ince	
INSTRUCTIONS: Use typewriter or ball point pe	en PLEASE PRESS FIRMLY and PRINT	clearly Pleas	e fill in blanks			Send top three of	copies to Kan	sas Department	
of Health and Environment, Bureau of Water, T	opeka, Kansas 66620-0001. Telephone:	913-296-554	5. Send one to	WATER WELL O	WNER and retain one	or your records.			