WATER WELL REC	CORD	Form W	WC-5	D	ivision of Wate	er Resources App. N	lo.	
1 LOCATION OF WA		Fraction		Secti	ion Number	Township No.	Range Number	
County: Leaven	worth	1/4 SE 1/4 SE	5 1/4 NW 1/	4	24	T S	$R \supset \Sigma E \square W$	
Street/Rural Address of	of Well Location;					g System (GPS) i		
from nearest town or is	owner's address, chec		Latitude: (in decimal degrees)					
					Longitude: (in decimal degrees)			
					Elevation:			
2 WATER WELL OWNER: Phyl brinks					Collection Method:			
2 WATER WELL OWNER: Phil brinks RR#, Street Address, Box #: 16941 243 nd Street					GPS unit (Make/Model:)			
City, State, ZIP Code Ton: Gnoxie Ks. 66086					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
A VOCUMENTAL V	lonije	noxie Ks. 4	16086					
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMPLETED WEI	ı. Y	80	ft	6-180	Bores	
SECTION BOX:	Depth(s) Groundwater Encountered (1). 36.34 ft. (2)							
N	WELL'S STATIC WATER LEVEL36ft. below land surface measured on mo/day/yr71.26.							
	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELD. 1 Zgpm. Well water was								
W E Bore Hole Diameter . O. 7. 4in. to . 7. 2								
WELL WATER TO BE USED AS. Fuolic water supply A Geometrial Injection wen								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well . Last								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? \[\sqrt{Y}\) Yes \[\sqrt{Y}\) No								
5 TYPE OF CASING USED: Steel PVC Other .H. D On the land of t								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface. 3.6								
TYPE OF SCREEN OR PERFORATION MATERIAL: New Manual State of Screen Company of the								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Septic tank		nes Pit privy	Livestock	nens	☐ Insecticide	e storage	her (specify below)	
Sewer lines	Cesspool		Fuel stora		Abandone		ner (speerly below)	
☐ Watertight sewer li			☐ Fertilizer	storage	Oil well/g			
Direction from well			Distance	e from w	rell 3 .60	<u> </u>		
FROM TO	LITHOLOG		FROM	ТО	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
0 36 501	Chay sound,	brand						
3497 5	March.							
	mestere	1	1001	3	1 - 1	×1 -	D 1 1 -11	
161 111 5	vole		180	_5_	6-186	Dures	Klanged Wath	
	ele Tand				7/54	781,45 De	WATE	
135 139 3h					1			
141 KU S	Vala						TO	
111 100	~ ~~							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, ar reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .7.7.2								
Kansas Water Well Contractor's License No 560 This Water Well Record was completed on (mo/day/year)								
under the business name of Zwans. Zwany. Jews. Jww. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEAST PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								