


1 LOCATION OF WATER WELL: County: **Leavenworth** Fraction: **NW 1/4 NE 1/4 NW 1/4** Section Number: **15** Township Number: **T 11 S** Range Number: **R 21 EW**

Distance and direction from nearest town or city street address of well if located within city?
1 MI SE of TOWN **SUM-2**

2 WATER WELL OWNER: RR#, St. Address, Box #: **City of Tonganoxie P.O. Box 326** Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: **Tonganoxie, Kansas 66086** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  **59** ft. DEPTH OF COMPLETED WELL. **837** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. **14** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **4**" in. to ft. and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only **10** Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 Blank casing diameter **2**" in. to **19** ft. Dia. in. to ft. Dia. in. to ft. Dia. in. to ft.
 Casing height above land surface **36** in. weight lbs./ft. Wall thickness or gauge No. **sch 80**
 TYPE OF SCREEN OR PERFORATION MATERIAL: **7** PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot **0.010** 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **19** ft. to **59** ft. From ft. to ft.
 GRAVEL PACK INTERVALS: From **17.5** ft. to **60** ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout **3** Bentonite **6** Other **Concrete**
 Grout Intervals: **0** ft. to **3** ft. **3** ft. to **17.5** ft. From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage

Direction from well?		LITHOLOGIC LOG		PLUGGING INTERVALS	
FROM	TO	FROM	TO	FROM	TO
0	10				
10	46				
46	60				
		Loam dk Br to Brown Clay, Brown & Gray Sandstone			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was **1** constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **1-9-97** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **416** This Water Well Record was completed on (mo/day/yr) **1-23-97** under the business name of **Terracon Consultants, Inc.** by (signature) *Ronald H. ...*