

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

NW NW NW

Location of well: Leavenworth County Leavenworth Fraction SW 1/4 NW 1/4 Section number 16 Township number T 11 N Range number R 21 E

Distance and direction from nearest town or city: _____
Street address of well location if in city: 102 Washington Tonganoxie, Ks
3. Owner of well: Norman E. Wiley
R.R. or street: 102 Washington
City, state, zip code: Tonganoxie, Ks 66086

4. Locate with "X" in section below: Sketch map: _____
N
W E
S
1 Mile
House X

5. Type and color of material	From	To		From	To
Top Soil	0	2	Gray lime	163	170
Gray Clay	2	6	Black lime	170	171
Red Clay	6	11	Gray Shale	171	173
Lime	11	12	" Sand Stone	173	176
Br. Sandy Clay	12	13	" Lime	176	177
Br. Sand Stone	13	15	" Sand Stone	177	182
Gray Lime	15	16	" Shale	182	186
Gray Sand Stone	16	129	" Lime	186	202
Gray Shale	129	135	" Sand Stone	202	210
Gray Sand Stone	135	136	" Shale	210	213
Gray Limestone	136	141	Br-Red Shale	213	214
" Sand Stone	141	145	Gray Shale	214	220
Black Shale	145	146			
Soft White Lime	146	149			
Gray Shale	158	163			

(Use a second sheet if needed)

6. Bore hole dia. 8 in. Completion date 6-29-76
Well depth 220 ft.

7. Cable tool Rotary Driven Dug
 Hollow rod Jetted Bored Reverse rotary

8. Use: Domestic Public supply Industry
 Irrigation Air conditioning Stock
 Lawn Oil field water Other

9. Casing: Material PVC Height: Above or below
Threaded Welded Surface 24 in.
RMP PVC glue Weight 2.75 lbs./ft.
Dia. 5" in. to 220 ft. depth Wall Thickness: inches or
Dia. 5" in. to 220 ft. depth gage No. 258

10. Screen: Manufacturer's name Pumco
Type PVC Dia. 5
Slot/gauze 060 Length 48
Set between 202 ft. and 210 ft.
15 ft. and 55 ft.
Gravel pack? Size range of material 4-1/4

11. Static water level: _____ mo./day/yr.
15 ft. below land surface Date 6-29-76

12. Pumping level below land surfaces: Air Test
_____ ft. after _____ hrs. pumping _____ g.p.m.
_____ ft. after _____ hrs. pumping _____ g.p.m.
Estimated maximum yield 1/2 g.p.m.

13. Water sample submitted: _____ mo./day/yr.
Yes No Date _____

14. Well head completion: 24" Cap Top
 Pitless adapter _____ inches above grade

15. Well grouted?
With: Neat cement Bentonite Concrete
Depth: From 0 ft. to 10 ft.

16. Nearest source of possible contamination: Public Sewer
ft. _____ Direction _____ Type Sewer
Well disinfected upon completion? Yes No

17. Pump: Not installed
Manufacturer's name _____
Model number _____ HP _____ Volts _____
Length of drop pipe _____ ft. capacity _____ g.p.m.
Type: _____
 Submersible Turbine
 Jet Reciprocating
 Centrifugal Other

18. Elevation: 901
Topography: Hill
 Slope
 Upland
 Valley

19. Remarks: I will pour my own cement slab around the well
Norman E. Wiley Sr.

20. Water well contractor's certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
STANLEY D. CO. INC. 182
Business name License No.
Address RT 1 Holton, Ks
Signed Dale Ashburn Date 7-1-76
Authorized representative

Handwritten notes and signatures on the right margin, including "SUSAN" and "1/4 1/4 1/4".