WATER WELL RECORD KSA 82a-1201-1215 Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:  Leavenworth  NW 1/4 NW
2. Distance and direction from nearest town or city: 1 mile east 2 Street address of well location if in city: miles south of the property of
Street address of well location if in city:  4. Locate with "X" in section below:  N  Sketch map:  Sketch map
Sirect address of well location if in city:  TONGANOXIE, KS  4. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  Sketch map:  A. Locate with "X" in section below:  A. Locate with "X" in section below:  B. Use: XXDomestic _ Public supply _ Industry _ Intrigation _ Air conditioning _ Stock _ Low _ Oil field water _ Other _ Other _
4. Locate with "X" in section below:    Sketch map:   Sket
Well depth 140 ft.
Hollow rod _ Jetted _ Bored _ Reverse rotary
Solution
Threaded   Welded   X   Surface   18   in.   MAP   PVC   X   Weight     Ibs./ft.
RMP
1   Mile
Top Soil
Top Soil
Clay   Slot/gauze_06_1/16_ Length   K\$
1
Lime
17   18   11. Static water level:
Shale
18   51   12. Pumping level below land surfaces:
Shale - Black  Shale - Dark  Shale - Dark  Shale - Blue  Coal  To after hrs. pumping g.p.m.  Fit. after hrs. pumping g.p.m.  Strimated maximum yield 1/2 g.p.m.  Shale - Blue  To after hrs. pumping g.p.m.  Strimated maximum yield 1/2 g.p.m.  To after hrs. pumping g.p.m.  Strimated maximum yield 1/2 g.p.m.  To after hrs. pumping g.p.m.  Fit. after hr
Shale - Dark  Shale - Dark  53 55 13. Water sample submitted: mo./day/yr.  Yes X No Date  Yes X No Date  14. Well head completion: X Pitless adapter 18 Inches above grade  To With: X Neat cement Bentonite Concrete
Shale - Blue         55         76         Yes X No Date
Shale - Blue  Coal  76 77 14. Well head completion:  X Pitless adapter 18 Inches above grade  15. Well grouted Yes  With: X Neat cement Bentonite Concrete
Coal 76 77 X Pitless adapter 18 Inches above grade  15. Well grouted Yes  With: X Neat cement Bentonite Concrete
Cholo Bentonite Concrete
Shale Depth: From ft. to ft.
Sandstone 117 120 16. Nearest source of possible contamination: ft. 200 Direction SE Type Septic
Lime 120 13 Well disinfected upon completion? XXX Yes No
17. Pump: XX Not installed
Shale 134 140 Manufacturer's name
Length of drop pipe ft. capacityg.p.m.
Type:
Submersible Turbine Peciprocating
(Use a second sheet if needed) Centrifugal Other
18. Elevation: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report
70 / is true to the best of my knowledge and belief.
Topography: BREUER, INC. 174
Business pame Address BOX 147, Basehor, Ks.
Upland  Volley  Authorized representative