

13RT

# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	3	Top Soil
3	8	Clay
8	22	Sandstone (dark red)
22	42	Gray Sandstone <i>WATER</i>
42	42 1/2	Sandstone (soft) <i>16 1/2</i>
42 1/2	43	Lime <i>20 G.P.M.</i>
43	T.D.	
<b>Dry Hole</b>		
0	3	Top Soil
3	14	Clay
14	17	Sand - Clay soft
17	20	Sandstone - red
20	58	Sandstone - yellow
58	T.D.	15 G.P.H. <i>not located</i>

Well Owner Mr. Joe Calovich

Address Tonganoxie, Ks.

Drilling Contractor Breuer Drilling Co.

Basehor, Ks.

Date Drilled 4-15-69

Method of Drilling Cable Tool  
(Cable tool, rotary, reverse rotary, etc.)

Casing Schedule 25 ft. used 8 in. steel  
(Amount, Size, Setting - New, Used - Steel, Galv. - Gauge or Weight)

Screen Data (if any): \_\_\_\_\_  
(Length, Diameter, Slot Size, Setting)

Measured depth to water on completed well (Static Level) is

15 ft. below land surface  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 20 gallons per min  
(Min., Hour)


as determined by bailing  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.

pumping at \_\_\_\_\_ gal. per minute.

REMARKS: *next to Irvin House*

LOCATION OF WELL Topographic Sheet Tonganoxie  
 [Show location in Section Plat] Elev. 905 ±  
860 ±



SW NW 1/4 SW 1/4 Sec. 12  
 T. 11 S., R. 21 E. 10  
 County Revermouth

BR = 7552

KANSAS WELL SCHEDULE

Card 1

Record by Kleinmohr Date: 3-21-73 Project: Top-KP State: Kan County: Leaw 52  
2 3

Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_ Accuracy: \_\_\_\_\_ Owner's well no: \_\_\_\_\_

Location: SW N NSW no. sec. 12, T. 11 N., R. 24 E. Well number: 11 21 E 12 CB C2  
T R E-W sec 1 2 3 4 5 6 7 8 9 10 11 12 13 14

Owner: Joe Calovich Tongoxie  
name address

Owner: JOE CALOVICH Altitude: 850± 850 Accuracy 3  
15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 lsd 39 40 41 42 43 44

Driller: Brewer Drilling Date drilled: 4-15-69  
name address

Topography, well site: (D) (F) (L) (R) (S) (T) (U) D Spring; or depth of well: 43 FT 43 P 3  
Draw flood plain, lowland, rolling, slope, terrace, upland 45 lsd feet 46 47 48 49 accuracy 50

Diameter: 8" 08 Depth cased: 25 25 Spring, or Csg. type: stab/S Finish: \_\_\_\_\_ Lift & power: sub-elec 0  
inches or feet 51 52 feet 53 54 55 56 57 58

Pump setting: \_\_\_\_\_ Use of well: Domestic, stock, irrigation, industrial, public supply, observation, none, test 9  
lsd feet 59 60 61 62

Water level: 11.2 above lsd 11 H2R 3 Water level records avail. \_\_\_\_\_  
feet below 63 64 65 accuracy 66 date measured 67 68 69 mon year 70

Description MP: Top Casing 1.8' above \_\_\_\_\_ above lsd \_\_\_\_\_

Yield: 20 20 R 3 Pumping period: \_\_\_\_\_ Specific capacity: \_\_\_\_\_  
gpm 71 72 73 74 accuracy 75 hours or days 76 77 gpm/ft. dd 78 79

Pumpage and other data available: \_\_\_\_\_ 80

Card 2

Coefficient trans: \_\_\_\_\_ Coefficient storage: \_\_\_\_\_ Coefficient perm.: \_\_\_\_\_  
gpd/ft 15 16 17 18 19 20 gpd/ft<sup>2</sup>

Aquifer, system or series: \_\_\_\_\_ 21 \_\_\_\_\_ 22 \_\_\_\_\_ 23 \_\_\_\_\_ 24

Aquifer, units: \_\_\_\_\_ 25 26 27 \_\_\_\_\_ 28 29 30 \_\_\_\_\_ 31 32 33

Aquifer, thickness: \_\_\_\_\_ Aquifer, length of well open to: \_\_\_\_\_ Aquifer, depth to top of: \_\_\_\_\_ Aquifer, origin: \_\_\_\_\_  
feet 34 35 36 feet 37 38 39 feet 40 41 42 feet 43 44 45

Aquifer, lithology of: \_\_\_\_\_ 55 56

Bedrock, system: \_\_\_\_\_ Bedrock, formation: \_\_\_\_\_ Bedrock, depth to: \_\_\_\_\_  
57 58 59 60 lsd feet 61 62 63

Surficial material: \_\_\_\_\_ infiltration characteristics \_\_\_\_\_ Log data avail: \_\_\_\_\_ A  
lithology 64

Quality of water data available: \_\_\_\_\_ Temperature of water: \_\_\_\_\_ Date sampled: \_\_\_\_\_  
65 66 67 68 69 70

Coefficient of leakage: \_\_\_\_\_

THE FOLLOWING DATA ARE USED ON THE NATIONAL WELL SCHEDULE

Ownership category: (C) County, (F) Federal Gov't., (M) City, (N) Corp. or Co., (P) Private, (S) State Agency, (W) Water Dist. \_\_\_\_\_ P  
71

Method drilled: (A) Air, (B) bored, (C) cable, (D) dug, (V) driven, (H) hyd. rotary, (J) jetted, (R) rev. rotary, (T) trenching, (S) spring, \_\_\_\_\_ C  
72

Physiographic province: \_\_\_\_\_ Section: \_\_\_\_\_  
73 74

Drainage basin: \_\_\_\_\_ Subbasin: \_\_\_\_\_ Depth to basement: \_\_\_\_\_ source of data (basement) \_\_\_\_\_  
75 76 77 78 79 80

Quadrangle \_\_\_\_\_  
Well no. 11-21E-12CB C2

20.0  
7.0  
13.0  
-1.8  
= 11.2

[How] Calovich  
House

North

Well

FEIRUIN  
House

Drain

Co. Road

rows  
Calovich  
Well

power poles

Coral  
Pond

11/13