WATER WELL RECORD

Well Owner_

DRILLERS LOG OF WELL

	<u> </u>	DRILLERS LOG OF WELL
FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
o"-	3	Top Soil
3	15	Clay
15	35	Sandstone-yellow -
35	85	Sandstone-gray
	Page 1	as we specialized the second s
·		The state of the s
		A South Company of the Company of th

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."

Address Reno, Ks.
Drilling Contractor Breuer Drilling Co.
Basehor, Ks. PL-82210
Date Drilled 10- 8-69
Method of Drilling Cable Tool (Cable tool, rotary, reverse rotary, etc.)
Casing Schedule 16 ft. 6 1 new steel (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)
Screen Data (if any):(Length, Diameter, Slot Size, Setting)
Measured depth to water on completed well (Static Level) is
Tested Yield: 30 gallons per min (Min., Hour)
as determined by bailing (Bailing, Test Pumping, Etc.)
Drawdown: ft. after hrs.
pumping atgal. per minute.
REMARKS: Busement House
THE WOLLD
57000
LOCATION OF WELL Topographic Sheet Topographic S

Mr. Darrell Forest

Sampled 5-2-4:32 KANSAS WELL SCHEDULE Card 1 Record by Klesus dmilt Date: 3-16-98 Project: Top-KC State: Kan County: Lessante NE 1 5E no. sec. 31 , T. 1/ N., R.2/ E. Well number: Bover Drilling Topography, well site: (D) (F) (L) (R) (S)
Draw, flood plain, lowland, rolling, slope Use of well Domestic stock, irrigation, industrial, public supply, observation, none, test Coefficient trans Aguifer, units Aquifer, length of Aquifer, depth to top of: Aquifer, lithology of: lithology Quality of water data available: Coefficient of leakage THE FOLLOWING DATA ARE USED ON THE NATIONAL WELL SCHEDU (S) (W) State Agency, Water Dist (C) (F) (M) (N) County, Federal Gov't., City, Corp. or Co., (D) (V) (H) (J) (R) (T) (S) dug, driven, hyd. rotary, jetted, rev. rotary, trenching, spring, Physiographic province: Subbasin: source of data (basement)

Well no. 11-21E-31 db

