WATER WELL RECORD		Form WWC-5		er Resources App. N	0.
1 LOCATION OF WA	TER WELL: Fracti	on	Section Number	Township No.	Range Number
County: Doing In	5 DW 3	45W45E 45W	4 33	T 14 S	R 21 DE DW
		own, distance & direction	Global Positionin	g System (GPS) ir	nformation:
from nearest town or i	itersection: If at owner's	address, check here .			(in decimal degrees)
-	, ,	0.11. 47			(in decimal degrees)
5.25 m.le	Datum: WGS 8	Elevation:			
2 WATER WELL OWNER: Josh Collection Method:					
RR#, Street Address, Box #: 257   Chi. Lork H GPS unit (Make/Model:)					
City, State, ZIP Code				hoto, L Topographi	c Map, Land Survey
3 LOCATE WELL	GAFANCI	·, Ks. 66032	Est. Accuracy:	S m, ∐ 3-3 m, ∐	[3+13 m, ∐ >13 m
WITH AN "X" IN	4 DEPTH OF COMP	LETED WELL	<i>O</i> , ft.	,	
SECTION BOX:	Depth(s) Groundwater !	Encountered $(1).56$ :	. <b>L</b> .4 ft. (2)	ft. (	(3) ft.
WELL'S STATIC WATER LEVEL. 3fft. below land surface measured on mo/day/yrf					
Pump test data: Well water wasft. after					
NWNE	EST. YIELDgp	mg., Well water was	ft. after	hours pum	ping gpm
W   E	Bore Hole Diameter .	4in. to	ft., andin	. to	.ft.
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well					
was a chemical/bacteriological sample submitted to Department?   S  If yes, mo/day/yr sample was submitted					
mile	Water well disinfected?		••••••		
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded  Casing diameter in to Co. It Diameter in to Co. It Diameter in to Co.					
Casing diameter					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel     PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter  Key punched  Sire wrapped  Saw cut  Other (specify)  Screen-perforated intervals: From ft., From ft., From ft.					
From					
GRAVEL PACE	CINTERVALS: From	100 ft to 3	ft From		to ff
GRAVEL PACK INTERVALS: From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible contamination: NON C. OPEN Field					
Septic tank	Lateral lines 1				er (specify below)
☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well         ☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well					
Direction from well			e from well	as well	
FROM TO	LITHOLOGIC LOC		<del></del>		IGGING INTERVALS
6 3 50.	at las	110771		= = (-5.10.) <u>VI</u> 1 DC	_ JANG ANTEKY/ILO
3 14 60	2000				
19 22 3	Anda There				
22 14 5	and to re				
64 let [	mestone)				
66 69	men saidst	) "e /			
9 81 5	hali I				
81 92 50	son Shell				
92 100 5	tale				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) 710					
Kansas Water Well Contractor's License No. 50 This Water Well Record was completed on (mo/day/year)					
under the business name of the first of the					
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212			Check: W	nite Copy, 📋 Bli	ue Copy, L Pink Copy