WATER WELL RECORD			Form W	WC-5	D	ivision of Wate	er Resources App. N	о	
	1 LOCATION OF WATER WELL: County: LEAVENWORTH		Fraction NW 1/4 SE 1/4 SV	V 1/2 NIVAV 1/2		on Number 11	Township No. T 11 S	Range Number R 21	
		Address of Well Location;				Global Positioning System (GPS) information:			
		own or intersection: If at		Latit	Latitude: .39.112075 (in decimal degrees)				
21503 HOLLINGSWORTH ROAD, TONGANOXIE, KANSAS						Longitude: -95.052312 (in decimal degrees)			
213	03 HOL	LINGSWORTH ROAD,	TONGANONIL, ICAI	10/10	Elev	Elevation:			
2 33/4	2 WATER WELL OWNER: CONLY CONSTRUCTION						4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: CONLY CONSTRUCTION RR#, Street Address, Box #: 9180 SHOREWOOD DRIVE						ction Method:	lro/Model	, 1	
		TD C I				☐ GPS unit (Make/Model:			
City, State, ZIP Code : DESOTO, KS 66018						Est. Accuracy:			
3 LOCATE WELL									
ł	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).35-75								
	Pump test data: Well water was								
	ECT VIELD 20 W-II A -A house summing								
w   N	[**NW **] **NL**   1								
		WELL WATER	TO BE USED AS: [						
SWSE   ✓ Domestic									
Irrigation									
Was a chemical/bacteriological sample submitted to Department?  Yes No									
S If yes, mo/day/yr sample was submitted									
water well distincted: [4] Tes [140									
5 TYPE OF CASING USED: Steel PVC Other Other									
CASING JOINTS: Glued Clamped Welded Threaded  Casing diameter									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot    Gauze wrapped    Torch cut    Drilled holes    None (open hole)									
Continuous stot ☐ Mill stot ☐ Gauze wrapped ☐ Forch cut ☐ Drifted holes ☐ None (open hole)  ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
Fromft. toft., Fromft. toft.									
6 GROUT MATERIAL: Neat cement Cement grout Dente Other Other									
Grout Intervals: From 23 ft. to 3 ft., From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:   Septic tank									
	Sewer li		Sewage lagoon Fuel storage			Abandoned water well			
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well NO A1 11ME OF DRIL								AT TIME OF DRIL	
Direction from well									
FROM	TO	LITHOLOG	IC LUG	FROM	ТО	LITHO. L	OG (cont.) or PLU	IGGING INTERVALS	
2	8	SOIL SANDY CLAY		<u> </u>					
8	45	YELLOW SANDSTON	<u></u>	<del> </del>					
45	75	GREY SANDSTONE	<u> </u>	<del>                                     </del>					
75	2080	LIMESTONE		1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) .08/10/2015 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 561 This Water Well Record was completed on (mo/day/year) 08/11/2015 under the business name of EVANS ENERGY DEVELOPMENT, INC									
under th	CTIONS	Use typewriter or ball point per	TINGULER PRESS FIRM	Y and PRINT	Dy (	eascullin hlank	s and check the correct	answers. Send one copy to	
	Kansas D	epartment of Health and Environ	ment, Bureau of Water, Geo	ology Section,	1000 SW	Jackson St., Suit	e 420, Topeka, Kansa	s 66612-1367.	
Telepho	ne 785-29	5-5524. Send one copy to WAT				Include fee of	\$5.00 for each construc	ted well. Visit us at	
L			http://www.kdheks.go	v/waterwell/inc	ex html				