

1 LOCATION OF WATER WELL: Fraction SE 1/4 SE 1/4 SE 1/4 Section Number 3 Township Number T 11 S Range Number R 22 EW

Distance and direction from nearest town or city street address of well if located within city?
1/4 mile west of Basehor

2 WATER WELL OWNER: Les or Pat Meyer
RR#, St. Address, Box # : 18971 158th St. Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Bonner Springs, KS 66012 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL... 90 ft. ELEVATION: ... ft.

Depth(s) Groundwater Encountered 1... 63' ft. 2... ft. 3... ft.

WELL'S STATIC WATER LEVEL... 26' ft. below land surface measured on mo/day/yr... 5-21-92

Pump test data: Well water was ... ft. after ... hours pumping ... gpm

Est. Yield... 10 gpm: Well water was ... ft. after ... hours pumping ... gpm

Bore Hole Diameter. 8. 3/4 in. to ... ft., and ... in. to ... ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes... No... X...; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
7 Fiberglass Threaded

Blank casing diameter... 5" in. to... 0-30 ft., Dia... 5" in. to... 70-89 ft., Dia... in. to... ft.

Casing height above land surface... 24" in., weight... 2.82 lbs./ft. Wall thickness or gauge No... 258

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
7 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From... X... 30 ft. to... 70 ft., From... ft. to... ft.
From... 89 ft. to... 90 ft., From... ft. to... ft.

GRAVEL PACK INTERVALS: From... 24 ft. to... 90 ft., From... ft. to... ft.
From... ft. to... ft., From... ft. to... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout intervals: From... 0 ft. to... 24 ft., From... ft. to... ft., From... ft. to... ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage

Direction from well? west How many feet? 137'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top Soil			
2	22	Clay-Brown			
22	24	Shale-Yellow			
24	41	Sandstone-Yellow			
41	43	Limestone-Grey			
43	63	Sandstone-Grey			
63	69	Limestone-Grey			
69	71	Shale-Grey			
71	90	Limestone-Grey			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-21-92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 182 This Water Well Record was completed on (mo/day/yr) 6-8-92 under the business name of STRADER DRILLING CO., INC. by (signature) Dale Strader