USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

EW

WATER WELL RECORD KSA 82a-1201-1215

CAA

Kansas State Dept. Of Health (Water Well Contractors) Forbes-Bldg. 740 Topeka, Kansas 66620

Form WWC-5

1 Location of well:	County <b>Leavenwort</b> h	Township name Stranger	Fraction NE 1/4 SW 3	NE I/		n number	Town number Range number R22E	
Distance and direction from nearest town or city:  3 Owner of well:  Jerry Otting								
Street address of well location if in city:							ute 1	
Locate with "X" in section below: Sketch map:						Ba	sehor, Kansas 4 Well depth: 135 ft. Date of completion 10-1	
	N						Well diameter 8 in.	
Three miles southwest					of		5 Cable tool 🛣 Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary	
Basehor, Kansas							6 Use: 🗷 Domestic 🗌 Public supply 🔲 Industry	
WE Basenor, Kansas							☐ Irrigation ☐ Air conditioning ☐ Commercial ☐ Test well ☐	
							7 Casing: Material PVC Height: above/below Threaded Welded K Surface 18 in. Digm. Weight lbs./ft	
					2	Тур	e and color of material	
Top Soil - Dark					0	1	Manufacturer NONE  Type	
Clay - Yellow					7	Slot/gauze Length		
Olay - Tellow				1	ı	Set between ft. and ft Fittings:		
Rock - Red					7	88	Gravel pack Yes No Size range of material —	
Clay - Yellow					8	16	9 Static water level:	
Lime - White					16	18	10 Pumping level below land surfaces:	
Shale - Blue					18	31	ft. afterhrs. pumping g.p.m.  ft. afterhrs. pumping g.p.m.	
Coal - Black					31	32	Estimated maximum yield 3 g.p.m.  11 Water sample submitted:	
							Yes K No Date	
Shale - Blue					<b>3</b> 2	72	12 Well head completion:  Pitless adapter  Dinches above grade	
Sandstone - Gray					<b>7</b> 2	105	13 Well grouted? X Yes No Cemented	
Lime - White					<b>1</b> 05	118	Neat cement Bentonite Depth: From 3 ft. to 78 ft.	
Shale - Blue					118	122	14 Nearest source of possible contamination:	
Lime - White					122	131	ft. 15 Direction 1999 500	
Shale - Gray					131	135	15 Pump: Not installed	
2.144.0	<u> wy</u>				171	ررد	Model number <u>554B</u> HP <u>1/2</u> Volts <u>230</u>	
							Length of drop pipe <u>105</u> ft. capacity <u>10</u> g.m.p.	
							K Submersible Turbine	
(use a second sheet if needed)							☐ Jet ☐ Reciprocating ☐ Certrifugal ☐ Other	
16 Remarks: elevation						17 Water well contractor's certification:		
928						This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Topography: X							BREUER DRILLING CO. 17). Business name License No.	
Slope							Address Box 117 Basehor, Ks.	
Upland Valley							Signed Achier Bed representative	
F		V 51-1- D1 Of H-	- In-L				Form WWC-5	