


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: Leavenworth		County: NE 1/4 NE 1/4 SE 1/4		Fraction: 13		Township number: 11		Range number: 22		E W	
2. Distance and direction from nearest town or city: 2 miles south of Basehor, Kansas				3. Owner of well: Mr. Clarence Ladage		R.R. or street: 400 N. 134th					
Street address of well location if in city: Basehor, Kansas				City, state, zip code: Bonner Springs, Kansas							
4. Locate with "X" in section below:				Sketch map:		6. Bore hole dia. 8 in. Completion date 8-31-77					
						Well depth 100 ft.					
						7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary					
						8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other					
						9. Casing: Material PL Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 10 lbs./ft. Dia. 5 in. to 101 ft. depth Wall Thickness: inches or Dia. 5 in. to 101 ft. depth gage No. 265					
5. Type and color of material				From To		10. Screen: Manufacturer's name (Slotted Pipe)					
Sandy Top Soil				0 3		Type PVC Dia. 5"					
Soft Sandy Clay				3 18		Slot/gauze .06 1/16 Length 5'					
Lime				18 19		Set between 16 ft. and 21 ft. ft. and ft.					
Broken Lime				19 21		Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 - 1/8					
Shale				21 25		11. Static water level: 15 ft. below land surface Date 8-31-77					
Lime				25 30		12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 2 g.p.m.					
Shale				30 38		13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date					
Lime				38 84		14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 18 inches above grade					
Shale				84 88		15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 15 ft.					
Lime				88 96		16. Nearest source of possible contamination: ft. 100' Direction NW Type Septic Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
Shale				96 100		17. Pump: Manufacturer's name Jacuzzi Model number 5SLB HP 1/2 Volts 220 Length of drop pipe 95 ft. capacity 10 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other					
(Use a second sheet if needed)											
18. Elevation: 853		19. Remarks:				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. BREUER, INC. 174 Business name Box 147, Basehor, Kas. 66007 License No. Address Box 147, Basehor, Kas. 66007 Signed [Signature] Date 9-1-77					
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley											

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5