

CORRECTION(S) TO WATER WELL RECORD (WWC-5)  
(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: None Given

Fraction (  $\frac{1}{4}$   $\frac{1}{4}$   $\frac{1}{4}$  ): \_\_\_\_\_

County: Leavenworth

Location changed to:

1-11S-22E

Other changes: Initial statements: Wyandotte County

Changed to: Leavenworth County

Comments: \_\_\_\_\_

verification method: Well owner's address, similarity of lithologic log to other wells in same section, and Basehor 1:24,000 topo. map. initials: ORL date: 10/10/2005

# WATER WELL RECORD

White: Driller's copy

Blue: Mail to Missouri Geological Survey


Pink: For well owner

## DRILLERS LOG OF WELL

Kind of rock, color, hard, or soft etc.	From (ft.)	To (ft.)
Clay	0	13
Sandstone	13	17
Lime	17	24
Shale	24	30
Lime	30	41
Shale	41	42
Slate, black	42	45
Lime	45	50
Shale	50	71
Lime	71	85
Shale	85	86
Lime	86	90
Shale	90	113
Lime	113	123
	123	T.D.

## IMPORTANT DATA

Location of Well \_\_\_\_\_ County Wyandotte  
 (Show location in Section Plat)



\_\_\_\_\_ ¼ \_\_\_\_\_ ¼ Sec. \_\_\_\_\_  
 T \_\_\_\_\_ N, R \_\_\_\_\_ E  
 W \_\_\_\_\_

Total depth 123\* Elev. \_\_\_\_\_

Well Owner Chester Lewis

Address Basehor, Kansas

Mileage and direction from nearest town or highway \_\_\_\_\_

Drilling Contractor Cullum & Brown, Inc.

Address North Kansas City, Missouri

Date Drilled November 1, 1968

Method of Drilling rotary  
 (Cable tool, rotary, reverse rotary, etc.)

Casing Schedule 123\*-4 1/2" plastic  
 (Amount, Size, Setting - New, Used - Steel, Galv., - Gage or Weight)

Screen Data (if any): \_\_\_\_\_  
 (Length, Diameter, Slot Size, Setting)

Measured depth to water on completed well (Static Level)  
 is 15 ft. below surface  
 (Land Surface, Top of Casing Etc.)

Tested Yield 3/4 to 1 gallons per minute  
 (Min., Hour)

as determined by \_\_\_\_\_  
 (Bailing, Test Pumping, Etc.)

Drawdown \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.

pumping at \_\_\_\_\_ gal. per minute

Remarks \_\_\_\_\_