#### CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	Location changed to:
Section-Township-Range:	7-115-22E
Fraction ( 1/4 1/4 1/4):	
Other changes: Initial statements: wy and othe Cou	unty
Changed to: Leavenworth Cou	inty
Comments:	
verification method: Legal de scription, and	Leavenworth County map.
	initials: DRL date: 10/10/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

#### WATER WELL RECORD

White: Priller's copy

Blue: Mail to Missouri Geological Survey

Pink: For well owner

### DRILLERS LOG OF WELL

d of rock, color, hard, or	soft etc.	From (ft.)	(ft.
No. 3			
Clay		0	1
Lime		13	1/
Sandstone		14	15
Line		15	1
Shale		17	25
Lime		25	37
Shale		37	39
Slate, black		39	42
Lime		42	55
Shale, sandy		45	67
Lime		67	69
Shale		69	70
Lime		70	81
<b>X</b> hale		81	82
Line		82	84
Shale		84	88
Shale, red		88	90
Shale		90	10
Lime		108	
Shale		116	: -
Line			
		120	
Shale		125	
Lime, sandy		153	18

## IMPORTANT DATA

Location of We	Il County Wyandotte
(Show location in	Section Plat)
	Francisco Balling
	/4 Jec.
	T_ 11 8 X R_ 22 (E
	T 11.8 N, R 22
	Total depth 230' Elev.
	<del></del>
W-II 0	Dalton Williams
Well Owner	Expension Statement
	Basehore, Kansas
Address	
Mileage and dire	ection from nearest town or highway—
<b>Drilling Contract</b>	or Cullum & Brown, Inc.
Address NOT	th Kansas City, Missouri
	그 그리는 이번 사람이 되었다면서 그 그리고 그리고 있다.
Date Drilled	September 13, 1971
Method of Drilli	ng rotary
	(Cable tool, otary, reverse rotary, etc.)
Casina Schadula	12'-6+" stee1 Setting - New, Used - Steel, Galv., - Gage or Weight)
(Amount, Size, S	Setting - New, Used - Steel, Galv., - Gage or Weight)
	122'-42"
Screen Data (if	any): None (Length, Diameter, Slot Size, Setting)
Measured depth	to water on completed well (Static Level)
is 100	ft. below surface
	(Land Surface, Top of Casing Etc.)
Tested Yield,	gallons per minute
	(Min., Hour)
as determined by	bailing
	(Bailing, Test Pumping, Etc.)
Drawdown	ft. afterhrs.
9. Jr.	
pumping at	gal_per minute
	The season of th
Remarks	***
1	

# WATER WELL RECORD

White: Driller's copy

Blue: Mail to Missouri Geological Survey

Pink: For well owner

### DRILLERS LOG OF WELL

Kind of rock, color, hard, or	soft etc.	From (ft.)	To (ft.)
No. 3 (continued)			
Shale		180	19
Lime		191	19
Shale	·	195	19
Slate black		195	20
Lime		200	20
Shal e	10 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	201	21
Shale, sandy		210	21
Lime		215	22
Shale		224	22
Slat, black		225	22
Lime		227	23
£		230	T.
·			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

#### IMPORTANT DATA

Location of Well County W	yandotte
(Show location in Section Plat)	
1/4	¼ Sec <b>7</b>
/*-	/# 500
	_N, R 22 E
	oont
Total depth	2301 Elev
D. D.L 774 5 5 5	
Well Owner Dalton Willi	ams
Basehor, Kan	aas
Address	
	1.1
Mileage and direction from nearest town	or highway—
***	
Drilling Contractor Cullum & B.	rown. Inc.
Drilling Contractor	
Address North Kansas Ci	ty, Missouri
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
Date Drilled September 13	, 1971
Date of the date o	
Method of Drilling Totary	
Method of Drilling <b>rotary</b> (Cable tool, rotary,	reverse rotary, etc.)
Casing Schedule 12 -6 star star (Amount, Size, Setting - New, Used - Steel 1221-41	eel
(Amount, Size, Setting - New, Used - Steel	, Galv., - Gage or Weight)
1221-42	
Screen Data (if any): None	
(Length, Diam	eter, Slot Size, Setting)
Measured depth to water on completed	well (Static Level)
is 100 ft. below surface	te
(Land Sur	ace, top of Casing Etc.)
Tested Yieldgallons per	_minute
	(Min., Hour)
as determined by bailing Test	Pumping, Etc.)
(Balling, Test	Pumping, Etc.)
Drawdownft. after	hrs.
pumping atgal_ per n	ninute
Remarks	
₩	

NP