

VBRT  
 T.P. Han

# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
		CDB Well 910 <i>elr</i>
0	2	Top Soil <span style="float: right;">BR 891</span>
2	12	Clay
12	19	Soft Sand
19	35	Sandstone
35	37	Sandy shale
37	40	Lime
40	43	Shale
43	60	Lime
		T. D. 60 ft
		CDB Test Hole 905
0	1	Top Soil <span style="float: right;">BR 891</span>
1	10	Clay
10	25	Sand stone
25	28	Sandy Shale
		T. D. 28ft.
		4 Gph.

Well Owner Mr. N.A. McAnelly  
 Address Basehor, Kansas  
 Drilling Contractor Breuer Drilling Co.  
 Date Drilled 1/26/73  
 Method of Drilling Cable Tools  
(Cable tool, rotary, reverse rotary, etc.)  
 Casing Schedule 24ft. 6" plastic  
(Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)

Screen Data (if any): \_\_\_\_\_  
(Length, Diameter, Slot Size, Setting)


Measured depth to water on completed well (Static Level) is  
32 ft. below Land Surface  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 75 gallons per Hr.  
(Min., Hour)  
 as determined by Bailing  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.  
 pumping at \_\_\_\_\_ gal. per minute.

REMARKS:  
8 Gph. Before Shot  
75 Gph. After Shot  
Storage 602 gals.

LOCATION OF WELL Topographic Sheet B 8/9  
 [Show location in Section Plat] Elev. \_\_\_\_\_



SE  $\times$  SW  $\times$  Sec. 3  
 T. 11 S., R. 22 E  
 County Leaw  
 well BR = 891  
 D = 878  
 THAR = 595

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."