LOCATION OF WATER WELL: Fraction	E/ ♠ Resource ft. 9,20/0 gpm gpm
Distance and direction from nearest town or city street address of well if located within city? GO Paralle Rd. Basehor KS 66007	Resourceft. 9,20/0gpm
WATER WELL OWNER: Suburban Water, Inc. R#, St. Address, Box #: i Z/6 M. 155 th Street LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 35. ft. below land surface measured on mo/day/yr April 25 Pump test data: Well water was ft. after hours pumping Bore Hole Diameter. in. to the suburban well WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	ft. 9, <i>2010</i> gpm gpm
WATER WELL OWNER: Suburbun Water, Inc. R#, St. Address, Box #: i 2/6 M. 155 th 5 treet ty, State, ZIP Code : Busehor KS 66007 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 35. ft. below land surface measured on mo/day/yr April 29 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter in. to ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	ft. 9, <i>2010</i> gpm gpm
Board of Agriculture, Division of Water Application Number: 37, 167 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 35. ft. below land surface measured on mo/day/yr April 29 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	ft. 9, <i>2010</i> gpm gpm
Application Number: 37,167 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1	ft. 9, <i>2010</i> gpm gpm
Depth of Completed Well. 6. ft. ELEVATION: 750 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. Well's Static Water Level. 35. ft. below land surface measured on mo/day/yr April. 25 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter in. to ft., and in. to Well Water To BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	ft. 9, <i>2010</i> gpm
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 3.5. ft. below land surface measured on mo/day/yr April 2.5 Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter in. to ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	9, <i>2010</i> gpm gpm
Pump test data: Well water was ft. after hours pumping	gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	ft.
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify be	
!- :- \W ! \X	
I I Z IMIGANION 4 MONSTRAL / LAWN AND DAMPED ONLY 11 MODINIONO WEN	-
Was a chemical/bacteriological sample submitted to Department? YesNo; If yes, mo/day/yr samp Water Well Disinfected? Yes No	ie was sut
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS Glued) Clampe	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC) 4 ABS 7 Fiberglass Threaded	
ank casing diameter	ft.
sing height above land surfacein., weightlbs:/ft. Wall thickness or gauge No	
PE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open	hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
From. ft. to. ft., From. ft. to. GRAVEL PACK INTERVALS: From. ft. to. ft., From. ft. to. From ft. to. ft., From. ft. to.	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
out Intervals: Fromft. toft., Fromft. toft., From	
nat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water	well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below	O141)
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify beld 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	JW)
rection from well?	
ROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
5 25 cement grout	
25 28 bentonite	
28 61 peg gravel	
5 25 cement grout 25 28 bentonite 28 61 peg gravel	
28 61 peu gravel	
28 61 peu gravel	
28 61 peu gravel	
28 61 pea gravel	
RECEIVED	
MAY 05 2010	
MAY 05 2010 K.D.H.E.	
MAY 05 2010 K.D.H.E. MORTHEAST DISTRICT OFFICE	
MAY 05 2010 K.D.H.E. MORTHEAST DISTRICT OFFICE	n and was
MAY 05 2010 K.D.H.E. WORTHEAST DISTRICT OFFICE CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3 plugged under my jurisdiction npleted on (mo/day/year) April 29, 2010 and this record is true to the best of my knowledge and believed.	
MAY 05 2010 K.D.H.E. MORTHEAST DISTRICT OFFICE	