		WA	TER WELL	REC	ORD	Form \	<u> </u>		82a-1212		o					
1 LOCATION OF WATER WELL: Fraction									Section Nu		Township Number			Range Number		
County: \[\]	Wyando	tte	SW	1/4		1/4		1/4	16		T	11	S	R	<u> 23E</u>	BYW(
Distance ar	nd direction	from nearest t	own or city	street	address	s of well	if locate	ed withir	city?							
2 N	orth 8	1 East	of Pi	per												
2 WATER	WELL OW		Sambo													
RR#, St. A	ddress, Box				rive	Dr.						•		Division o	of Water f	Resources
City, State,		: Kan	sas Ci	t.v.	Ks.	6610	09					lication N				
3 LOCATE	WELL'S LC	CATION WITH	4 DEPTH	I ÕF C	OMPLE	TED WE	ELL 1	۵9	ft. E	ELEVAT	TION:					
AN "X" I	N SECTIO	N BOX:	Depth(s) (
7	<u>.N</u> _		WELL'S S													
†	i.	i		Pump	test d	ata: We	il water	was		ft. af	ter		. hours	oumping		gpm
	- NW -	NE	Est. Yield													
0		\mathbf{x}	Bore Hole													ft.
₹ w	<u> </u>		WELL WA									_		-		
	i	i	1 Dom			edlot			ater supply	•		-			ecify belo	,
	- sw -	SE	2 Irriga	ition	4 Inc	dustrial	7 D	omestic (lawn & gan	den) 10	Monitorin	ng well	• • • • • • •		• • • • • • •	
•			Was a che	mical/b	acteriolo	gical san	nple sub	mitted to	Departmen	t? Yes.	N	o x	; If yes, r	no/day/y	rs sample	was sub
	Ś		mitted							Water	Well Disi	nfected?	Yes x		No)
		CASING USED:			5 Wrou	ght iron		8 Co	ncrete tile			ING JOI				
1 Steel		3 RMP (S	R)			stos-Cer	ment		er (specify	-	-				• • • • • • •	
2 PVC		4 ABS			7 Fiber	•										
		or5														
Casing he	eight above	land surface	2.4	in	., weigh	nt 2	8.2			lbs./f	t. Wall thi	ckness o	r gauge N	lo	• 25 .8 · ·	
TYPE OF	SCREEN	OR PERFORAT	TION MATE						PVC			10 Asbe	estos-cen	ent		
1 Steel 3 Stainless steel 5 Fiber										• •			r (specify)			
2 Bras			zed steel		6 Conc	rete tile			ABS				used (o			
		ORATION OPE		Ξ:				d wrapp	ed		8 Saw			11 No	ne (open	hole)
	tinuous slot vered shutte		lill slot ey punched				Torch	rapped			9 Drilled		1			ft
		TED INTERVA							ft							
			From.			ft	. to		ft.	, From			ft. t	o		ft.
	GRAVEL P	ACK INTERVA	LS: From.	. 24.		ft	. to	40	ft.	, From	45		ft. t	o10!	Q	ft.
			From.			ft	. to		ft.	., From	· · · · · · ·		ft. 1	o	• • • • • •	<i>.</i> ft.
6 GROUT	MATERIA	L: 1 Neat o	ement		2 Ceme	nt grout		_3 Ber	ntonite	4 C	ther					
Grout Inte	ervals: Fro	om 4	ft. to	. 24	f	t., From	40		.ft. to	. 45	ft., F	rom		ft. to.		ft.
What is th	ne nearest :	source of possi	ble contami	nation:					10	Livesto	ock pens		14 A	bandone	ed water w	/ell
•						7 Pit privy			11	11 Fuel storage			15 Oil well/Gas well			
2 Sewer lines 5 Cess pool					8 Sewage lagoon			12 Fertilizer storage			е	16 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			13	13 Insecticide storage							
Direction 1	from well?	N.W.							Но	w man	y feet?	125				
FROM	TO		LITHOLOG	IC LO	G			FROM	1 ТО			PLU	GGING II	NTERVA	LS	
0	2	top s	oil													
2	14	brown	clay													
14	18	yello	w clay													
18	31	tan c	lay													
31	33	brown	fine	san	<u>d</u>											
33	37	gry c	lay					***								
37	38	bould	er gre	y 1	imes	tone						· · · - · · · · · · · · · · · · · · · ·				
38½3	39 b	brown	limes	ton	e bo	ulde	r									
39	71	grey	clay													
71	10	0 grey	pea gr	ave	1,ch	ert,	½tc	2"								
100	109		shale													
7 CONTRA	ACTOR'S C	OR LANDOWNE	R'S CERTI	FICATI	ON: Th	is water	well wa	s (1) co	nstructed, ((2) reco	nstructed,	or (3) pl	lugged un	der my j	unsdiction	and was
completed	on (mo/day	//year)Ap. r	i.11,	2.00.	2				and this	s record	l is true to	the best	t of my kn	owledge	and belie	f. Kansas
Water Well	I Contractor	's Licence No	182	<i></i>		This Wa	iter Wel	Record				// y /) }A	pril:	2,2	<i>9</i> 02···	
		me of Star	der Dr	-111	ina	Co.	Tnc	•		by (sig	nature) 🔏	1 1/2	IIn II	u s h	ren	