HW13

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WE County: Wyar Aut Co	SE 14 SE 14 SE 14 SW	Section Number   Township No.   Range Number   T   N   S   R   A   B   B   B   B   B   B   B   B   B
	cation; if unknown, distance & direction	Global Positioning System (GPS) information:
	n: If at owner's address, check here .	Latitude:
13844 State Aue-Bo	nnelspringo, ks.	Elevation: 974.43. (in decimal degrees)
	, , ,	Datum: WGS 84, NAD 83, NAD 27
2 WATER WELL OWNER: \( \tag{7}	THK Pautnership,	Collection Method:
RR#, Street Address, Box #:	(The Reilles Confrancy)	GPS unit (Make/Model:)
City, State, ZIP Code :	1 6 7 8 7 1 1 1 1 7 1 1 1 1 -	Digital Map/Photo, Topographic Map, Land Survey
Jene Sulphoto KS, Libis Est. Accuracy: S m, S-15 m, S-15 m		
AND TO THE CONTRACT OF THE PART OF THE PAR	ГН OF COMPLETED WELL .Зо́	ft.
SECTION BOX: Depth(s)	Groundwater Encountered (1).	ft. (2)
N WELL'S STATIC WATER LEVEL 21.113ft. below land surface measured on mo/day/yr.1.130/102  Pump test data: Well water was		
Team 37	Pump test data: Well water was	ft. after
[	LLDgpm. well water was	ft., andin. toft.
	WATER TO BE USED AS: Public v	
Don	nestic    Feedlot    Oil field w	vater supply Dewatering Other (Specify below)
L Irrig	ation	lawn & garden 🔀 Monitoring well
Was a c	hemical/bacteriological sample submitted	
	yes, mo/day/yr sample was submitted	
vv ater w	vell disinfected?  Yes  No	
5 TYPE OF CASING USED: Steel PVC Other Other		
CASING JOINTS:  Glued  Clamped  Welded  Threaded  ft Diameter in to ft		
Casing diameter 2.3.75 in. to 15 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface Fully in., Weight lbs./ft., Wall thickness or gauge No. 5 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel 📓 PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut, Other (specify)		
Louvered shutter Key punched Wire wrapped Saw cut, Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft.		
From		
GRAVEL PACK INTER	VALS: From S.D. ft. to S.	ft., From ft. to ft.
From ft. to ft., From ft. to ft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Constall.  Grout Intervals: From 13 ft. to 2 ft., From 2 ft. to 0 ft., From ft., From ft.		
What is the nearest source of possible contamination:		
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)		
	Cesspool Sewage lagoon Fuel sto	
Watertight sewer lines  Direction from well		er storage
white the terms of	CHOLOGIC LOG FROM	
	an Waranel dry	
B.D B.D Healer U	W wisherd idams	
	uf, damp	
8.0 9.0 thenclair	dano	
9.0 10.0 Hern Red Bus hard sandstone, damp		
10.0 15.0 It Red Bin fine yed gainer weathered sand stone		
15.0 17.0 tt. Red Gin	CXITYLESTEND	
19.0 30.0 UERO-RED Ben parastone, weathered gones wet		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No. 132 This Water Well Record was completed on (mo/day/year) . 101.10		
under the business name of Benjammental. by (signature) Amweble Substitution in STRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		