



5-9-73  
C 660

KANSAS WELL SCHEDULE

Card 1

wydt

Record by Kleinschmidt Date: 5-9-73 Project: top-KC State: Kan County: Leaw

Latitude: \_\_\_\_\_ Longitude: \_\_\_\_\_ Accuracy: \_\_\_\_\_ Owner's well no: \_\_\_\_\_

Location: SE SW no. sec. 30 T. 11 N., R. 23 E. Well number: \_\_\_\_\_

Owner: Jack Rehn name address 13938 Gibbs Bonhays

Owner: \_\_\_\_\_ Altitude: \_\_\_\_\_ Accuracy \_\_\_\_\_

Driller: \_\_\_\_\_ name address \_\_\_\_\_ Date drilled: \_\_\_\_\_

Topography, well site: (D) Draw, (F) flood plain, (L) lowland, (R) rolling, (S) slope, (T) terrace, (U) upland \_\_\_\_\_ Spring; or depth of well: 110 feet \_\_\_\_\_

Diameter: \_\_\_\_\_ inches or feet \_\_\_\_\_ Depth cased: \_\_\_\_\_ feet \_\_\_\_\_ Spring, or Csg. type: \_\_\_\_\_ Finish: \_\_\_\_\_ Lift & power: subelec \_\_\_\_\_

Pump setting: \_\_\_\_\_ feet \_\_\_\_\_ Use of well: Domestic, stock, irrigation, industrial, public supply, observation, none, test \_\_\_\_\_

Water level: \_\_\_\_\_ feet \_\_\_\_\_ above lsd \_\_\_\_\_ below \_\_\_\_\_ date measured \_\_\_\_\_ Water level records avail. \_\_\_\_\_

Description MP: 2 or 3' Below yard Behind House \_\_\_\_\_ above lsd \_\_\_\_\_ below \_\_\_\_\_

Yield: \_\_\_\_\_ gpm \_\_\_\_\_ accuracy \_\_\_\_\_ Pumping period: \_\_\_\_\_ hours or days \_\_\_\_\_ Specific capacity: \_\_\_\_\_ gpm/ft. dd \_\_\_\_\_

Pumpage and other data available: \_\_\_\_\_ \_\_\_\_\_

Card 2

Coefficient trans: \_\_\_\_\_ gpd/ft \_\_\_\_\_ Coefficient storage: \_\_\_\_\_ Coefficient perm.: \_\_\_\_\_ gpd/ft<sup>2</sup> \_\_\_\_\_

Aquifer, system or series \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Aquifer, units \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_

Aquifer, thickness: \_\_\_\_\_ feet \_\_\_\_\_ Aquifer, length of well open to: \_\_\_\_\_ feet \_\_\_\_\_ Aquifer, depth to top of: \_\_\_\_\_ feet \_\_\_\_\_ Aquifer, origin: \_\_\_\_\_

Aquifer, lithology of: \_\_\_\_\_ \_\_\_\_\_

Bedrock, system: \_\_\_\_\_ Bedrock, formation: \_\_\_\_\_ Bedrock, depth to: \_\_\_\_\_ feet \_\_\_\_\_

Surficial material: \_\_\_\_\_ lithology \_\_\_\_\_ infiltration characteristics \_\_\_\_\_ Log data avail: \_\_\_\_\_

Quality of water data available: Salty Report \_\_\_\_\_ Temperature of water: \_\_\_\_\_ °F. \_\_\_\_\_ Date sampled: \_\_\_\_\_

Coefficient of leakage: \_\_\_\_\_

THE FOLLOWING DATA ARE USED ON THE NATIONAL WELL SCHEDULE  
Ownership category: (C) County, (F) Federal Gov't., (M) City, (N) Corp. or Co., (P) Private, (S) State Agency, (W) Water Dist. \_\_\_\_\_

Method drilled: (A) Air, (B) bored, (C) cable, (D) dug, (V) driven, (H) hyd. rotary, (J) jetted, (R) rev. rotary, (T) trenching, (S) spring, \_\_\_\_\_

Physiographic province: \_\_\_\_\_ Section: \_\_\_\_\_

Drainage basin: \_\_\_\_\_ Subbasin: \_\_\_\_\_ Depth to basement: \_\_\_\_\_ source of data (basement) \_\_\_\_\_

Tarned parcels

11-23-30 cd

Quadrangle \_\_\_\_\_  
Well no. 11-23E-30 CD

