

### WATER WELL RECORD

#### DRILLERS LOG OF WELL.

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	3	Top Soil
3	30	SAND STONE WATER
30	40	LIME
40	46	SHALE
46	57	LIME
57	60	SLATE-
60	63	SHALE
63	67	LIME
67	89	SHALE
89	106	LIME
106	120	SHALE
120		SHALE T. D. 120 ft.

Well Owner Mr. John S. Moore  
 Address 13723 State Ave <sup>Lawrence</sup> Springs  
 Drilling Contractor BREUER DRILL CO  
Box-147 BASEBOR, KANSAS  
 Date Drilled NOV-5-1965  
 Method of Drilling CABLE TOOLS  
(Cable tool, rotary, reverse rotary, etc.)  
 Casing Schedule 4 1/2" 8" Steel  
(Amount, Size, Setting—New/Used—Steel, Galv.—Gage or Weight)

Screen Data (if any): \_\_\_\_\_  
(Length, Diameter, Slot Size, Setting)


Measured depth to water on completed well (Static Level) is  
22 ft. below LAND SURFACE  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 40 gallons per 16 1/2  
(Min., Hour)  
 as determined by Bailing  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.  
 pumping at \_\_\_\_\_ gal. per minute.

REMARKS:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

LOCATION OF WELL Topographic Sheet \_\_\_\_\_  
 [Show location in Section Plat] Elev. \_\_\_\_\_



NE NE 1/4 NW 1/4 Sec. 7  
 T. 11 S., R. 23 E. W.  
 County WY

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."