· · · · · · · · · · · · · · · · · · ·				R WELL RECORD	Form WWC-5					
LOCATION			Fraction y			tion Numbe			Range Nu	
County:	WYAND direction f		NW 1/4	NW 1/4 ddress of well if locate	SW 1/4	10	J T 11	S	R 23	EW
istance and	Urection 1	thin City	Trimits - Ka	ansas City, Ka	u willing city? Insas 😫 1	/3 mile	south of 118	th & Sta	ate - East	Side
WATER W			a Zeljezn							
		# 419 The		Jan			Board of A	Agriculture, C	Division of Water	r Resource
				. 66101				-		
LOCATE W	ÆLL'S LO	CATION WITH	DEPTH OF CO	• 66101 OMPLETED WELL	80	ft. ELEV	ATION: 1,00	0 ft.		
AN "X" IN	SECTION	BOX:	Depth(s) Groundy	water Encountered 1	52	ft.	2	ft. 3		ft.
:	1		WELL'S STATIC	WATER LEVEL	46 ft. b	elow land su	urface measured or	mo/day/yr	9-26-90)
	√w -	1 NE	Pump	test data: Well water	erwas	ft.	after	. hours pui	mping	gpm
'	ï l			gpm: Well water						
į w k	i o	<u>' </u>	Bore Hole Diame	ter 12 in. to	80		and	in.	to	ft.
<u> </u>	!	! ' '	WELL WATER TO	O BE USED AS:	5 Public water		8 Air conditioning		Injection well	
	sw	SE	1 Domestic	_			•		Other (Specify b	-
	1	!	2 Irrigation		•		10 Observation we			
	' 			acteriological sample	submitted to D				mo/day/yr samp	ne was sui
TYPE OF S	BI ANK C	ASING USED:	mitted	5 Wrought iron	8 Concre		ater Well Disinfecte		I Clampe	ed ed
1 Steel	DEAIN OF	3 RMP (SR	١	6 Asbestos-Cement		(specify belo			ed	
2 PVC		4 ABS	,	7 Fiberglass		• •	····		ded	
	— diameter .		n. to	ft., Dia	in. to		ft Dia	i		
				in., weight						
TYPE OF SCI	REEN OR	PERFORATION	MATERIAL:	•	7 PV	С	10 Ast	estos-ceme	nt	
1 Steel		3 Stainless	steel	5 Fiberglass	8 HW	IP (SR)	11 Oth	er (specify)		
2 Brass		4 Galvanize	d steel	6 Concrete tile	9 AB	S	12 Nor	ne used (op	en hole)	
		ATION OPENING	S ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (oper	n hole)
	uous slot	3 Mil			wrapped		9 Drilled holes			
	red shutte		y punched	7 Torch			10 Other (specify			
SCREEN-PER	RFORATE	D INTERVALS:		50						
CD4	WEL DAG	K INTERVALO	From	ft. to	80	ft., Fro	om	ft. to	0	
GHA	WEL PAC	K INTERVALS:		2.3 ft. to						
GROUT MA	ATERIAI ·	1 Neat ce	From ement 2	π. το 2 Cement grout	2 Ponto		om Other		<u> </u>	
Grout Intervals				ft., From						
		rce of possible of		, 110111			stock pens		pandoned water	
1 Septic		4 Latera		7 Pit privy			storage			
2 Sewer	lines	5 Cess		8 Sewage lag	oon		lizer storage		ther (specify bel	ow)
3 Wateri	tight sewe	r lines 6 Seepa	ge pit	9 Feedyard		13 Inse	cticide storage			
Direction from		Eas				How ma	any feet?	25	O ft.	
FROM	то		LITHOLOGIC L	_OG	FROM	то		LITHOLOG	IC LOG	
_0	3	Top Sail	•							
_3	30	Clay								
30	40	Sandy Cl			1					
40	57		<u> - Yellow</u>) 						
57	60		e - Red							
60	66 70	Snate Lime								
66 70	80	Shale							<u> </u>	*
_/0	80	Saare			-					
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
			· · · · · · · · · · · · · · · · · · ·		+					
			~~~~	-						
	1									
CONTRAC	TOR'S O	R LANDOWNER	S CERTIFICATION	ON: This water well w	as/(1) constru	cted. (2) rec	onstructed, or (3) r	olugged und	er my iurisdictio	n and was
ompleted on	(mo/day/v	ear)	9-28-90	DN: This water well w		and this rec	ord is true to the he	est of my kno	wiedge and beli	ief. Kansas
				This Water W						
							//	~ ~ //	•	
NSTRUCTIO	NS: Use to	pewriter or ball p	oint pen, <i>PLEASI</i>	REUER INC E PRESS' FIRMLY an	d <i>PRINT</i> clear	y. Please fill	in blanks, underline	or circle the	correct answers	s. Send top
ree copies to	Kansas E	Department of Hea	alth and Environm	ent, Division of Enviror	ment, Environ	mental Geolo	ogy Section, Topeka	, KS 66620.	Send one to WA	TER WEL