USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	T				T	T
1 Logeston of well	County	Fraction		number	Township number	Range number
1. Location of well:	Wyandotte	SW 1/4 NE 1/4 SW 1/4		8	T 12 S	
2. Distance and direction from nearest town or city: 1 mile East of R.R. or street: 205 East 2nd Street						
Street address of well	Ronnor	Last Znd Str	ee t Ka 66012			
City, state, zip code: Dollato 1 Spr 11185)						, KS. 00012
4. Locate with "X" in section below: Sketch map:					6. Bore hole dia. 81 m	. Completion date
STAR CEMEN					7 Coble tool X Potent	Driven Dug
NW NE WE WE					7 Cable tool A_ Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary  8. Use: Domestic Public supply Industry	
SWXSE BLANT O					LawnOil field water Other  9. Casing: MaterialSTEEL Height: Above or below	
PLAN / O					9. Casing: Material Velded X	
S PLANT O SE SE PLANT O WELL#5					RMPPVC	Weight 62.5 lbs./ft.
I- 1 Mile (WELL#5)					Dia. 19n. to 59 ft. dep	th Wall Thickness: inches or
5. Type and color of	material		From	То	Dia in. to ft. dep  10. Screen: Manufacturer's r	
Mongo: 1	(Prouse)		0	2	10. Screen: Manufacturer's r	idme
Topsoil (Brown)				<u> </u>	Type 304 stainl	
Clay Yellow, Sandy				33		Length
Clay Gray, Sandy			2		Gravel pack? NO Size ra	
Clay Gra	y, sandy		33	42		nge of material
Sand Yellow. Fine to Medium			42	50	Static water level:	face Date 1-20-81
Sand and Gravel, Coarse to very Coarse					12. Pumping level below land	
Sand and	Gravel, Coarse	to very coarse	50 78	78	62 ft. after 1	hrs. pumping 1000.p.m.
Shale, Gray				81	ft. after	hrs. pumping g.p.m.   1400
					Estimated maximum yield 13. Water sample submitted:	g.p.m. mo./day/yr.
			+		l ' <b>∀</b>	Date
					14. Well head completion:	
					X Pitless adapter	24 Inches above grade
					15. Well grouted? X	Bentonite <b>Y</b> Concrete
					Depth: From 24 ft. to	Bentonite X Concrete  ft.
					16. Nearest source of possible	e contamination: uth Type River
***						. 37
				-	Well disinfected upon comple	Net installed
					Manufacturer's name Byr	
					Model number MQ	HP 125 Volts 460
		· · · · · · · · · · · · · · · · · · ·		<del> </del>	Length of drop pipe 5.4. U	ft. capacity 1009.p.m.
					Type: X Submersible	Turbine
	/Uss = ss : - 3 :	hast : ( ====d=d)			Jet Centrifugal	Reciprocating Other
(Use a second sheet if needed)					20. Water well contractor's c	
18. Elevation: 800   19. Remarks:					This well was drilled under m	
1					is true to the best of my know	ledge and belief.
Topography: / V					Rusiness name	License No.
Slope					Address 63.53Robju k	ood Merrian, US
Upland Upland					Signed Anish Signed Supported to the Signed Authorized to the Signed Sig	Date 4-30-87
X Valley					Authori€ed rep	resentat ve

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5