	10	75 WATE	ER WELL RECORD	orm WWC-5	KSA 82a-	1212		B-1	
LOCATION OF WA		Fraction	All Als	Sec	tion Number	Township N	i	Range Nun	
County: A YAN	STIE	we or city street s	address of well if located	within city?	<u> </u>		<u> </u>	r 23	(E)
500 FT	THOM hearest to	THUES		520	SCH	EIDT	LANF		
2 WATER WELL OV	VNER: SCA	THUEST	- STEEL,						
RR#, St. Address, Bo		O SEH	EDT LANG	<u> </u>		Board of	Agriculture, Divis	sion of Water	Resources
City, State, ZIP Code	-	NER ST	RINGS, K	3,6	012	Applicatio	n Number:		
LOCATE WELL'S I	LOCATION WITH N BOX:	\vdash				TION:			
NW	X NE		WATER LEVEL						
	1 10		gpm: Well water						
# w - !	E	1	eter ڪin. to .						ft.
<u> </u>		1 Domestic		Public wate		8 Air conditioning		ction well	atau.
sw	SE	2 Irrigation		3 Oil field wa 7 Lawn and d		 Dewatering Observation w 		er (Specify be	
			bacteriological sample su	-		_ \	_		
1	S	mitted				er Well Disinfect	•	No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JO	DINTS: Glued	Clamped	d
1 Steel	3 RMP (S	iR)	6 Asbestos-Cement	9 Other	(specify below	<i>(</i>)	Welded .		· · · · · · ·
⊘ VC	4 ABS	016	Fiberglass		• • • • • • • • • • • • • • • • • • • •			FUDI	ત્તા
Blank casing diamete Casing height above			in., weight					1	n.
TYPE OF SCREEN (•	.iri., weight	(7) BV			bestos-cement		
1 Steel	3 Stainles		5 Fiberglass		IP (SR)		her (specify)		
2 Brass	4 Galvania	zed steel	6 Concrete tile	9 AB		12 No	ne used (open	hole)	
SCREEN OR PERFO	RATION OPENIN	IGS ARE:	5 Gauze	d wrapped		8 Saw cut	11	None (open	hole)
1 Continuous sl		fill slot	6 Wire w			9 Drilled holes			
2 Louvered shu		(ey punched	7 Torch		4	10 Other (specif	• ·		
SCREEN-PERFORAT	ED INTERVALS:	From	ft. to			n	_		
GRAVEL PA	ACK INTERVALS		9.5 ft. to	34-		n			
		From	ftto		ft., Fron	n	ft. to		ft.
GROUT MATERIA	L: 1 Neat	cement	2 Sement grout	3 Bento	463	Other			
	om 🔷	•	ft., From 15	ک ft.	_	ft., From .			
What is the nearest s	•		7. Dia nation		10 Livest	•		doned water v ell/Gas well	well
1 Septic tank 2 Sewer lines	4 Late 5 Cess	ral lines	7 Pit privy 8 Sewage lagoon		11 Fuel s	storage zer storage		r (specify belo	w)
	wer lines 6 Seep	•	9 Feedyard			ticide storage			
Direction from well?	WOI 111103 O OOO!	ougo pii	o . oou,u.o		How mar	ĭ	OFT	_	
FROM TO		LITHOLOGIC	LOG	FROM	то		LITHOLOGIC	LOG	
		* N<->-1	1110						
		AIN	116J	-					
		100			 				
									
	-								
		<u> </u>							
					 				
	 								
7 CONTRACTOR'S	OR LANDOWNE	R'S CERTIFICAT	TON: This water well wa	ıs (1) opnstru	icted, (2) reco	nstructed, or (3)	plugged under	my jurisdiction	n and was
7 CONTRACTOR'S completed on (mo/da		R'S CERTIFICAT	ION: This water well wa	. >	and this reco	rd is true to the b	plugged under est of my/knpwl	my jurisdiction edge and belie	n and was ef. Kansas
completed on (mo/da Water Well Contracto	y/year) . Z. /./ r's License No.	RIS CERTIFICAT	This Water Well wa	. >	and this reco	rd is true to the bon (mo/day)yr	plugged under est of my/knowle	my jurisdiction edge and belie	n and was ef. Kansas
completed on (mo/da: Water Well Contracto	y/year)	YNE-L	K. This Water We	ell Record wa	and this records as completed of by (signat	rd is true to the bon (mo/day/yr/) ture)	est of myrknowle	edge and belie	ef. Kansas
completed on (mo/da Water Well Contracto under the business n	y/year)	INE-Lint pen. PLEASE PRI		ell Record ward, Please fill in	and this records completed of by (signational blanks, underline	rd is true to the bon (mo/day/yr/) ture) e or circle the correct	est of myknowle 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	edge and belied	o Kansas

TEST BORING LOG

Project Southwest Steel Fabricators						Boring No	
						Surface Elevation Offset	
Address2520 Scheidt Lane						Date Started 2/18/88 Completed 2/18/88	18/88
City & State Bonner Springs, Kansas						Driller B. Blank Rig ATV	
				Abi	breviations:	A.O. — Auger Only R.B. — Rock Bit C.W. — Core Water H.A. — Hollow Auger S.S. — Split Spoon C.A. — Core Air W.B. — Wash Bore S.T. — Shelby Tube F.B. — Finger Bit	
DEPTH			PENETRATION RECORD >		<u></u>	SAMPLE DESCRIPTION	
FROM	то	МЕТНОВ	POCKET PENETRO- METER	NO. OF BLOWS	CORE RECOVERY	COLOR-MATERIAL-MOISTURE-CLAY CONSISTENCY SAND DENSITY	
0.0'	3.0'	на				Dark brown silty clay, moist, stiff	
3.0'	8.5'	HA				Brown silty clay, moist, stiff	
8.5'	25.0'	НА				Brown clayey silt, moist, med.	
25.0'	33.0'	НА				Red brown clayey silt, moist, med.	_
33.0'	40.0'	на				Dark gray silty sandy shale w/limestone gravel, moist, stiff	_
40.0'	Total o	lepth					
* ************************************							
							_
REMARKS:	(Casing, Water	Loss, Et	c.)		Water Level Time Date	=	
						(Completion	1)

Layne-Western Company,Inc.



Layne-Western Company,Inc.

Subject SCUTHIJEST STEEL Date 3-3-8

MONITORING WELL B-1

