Form WWC-5 KSA 82a-1212 WATER WELL RECORD Range Number Township Number Section Number 1 LOCATION OF WATER WELL: Fraction R 24 NW 14 SE 13 т // County: Wyandotte Distance and direction from nearest town or city street address of well if located within city? 5300 Kansas Ave. Kansas City, KS. Fleming Foods 2 WATER WELL OWNER: Board of Agriculture, Division of Water Resources 5300 Kansas Ave. RR#, St. Address, Box # : Application Number: Kansas City, KS. City, State, ZIP Code Pump test data: Well water was ft. after hours pumping gpm NW --- NE --Est. Yield gpm; Well water was ft. after hours pumping gpm w OFFICE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply
7 Lawn and garden only
10 Dewatering
12 Other (Specify below)
15 Monitoring well 1 Domestic 3 Feedlot - SE --2 Irrigation 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes.......No..X....; If yes, mo/day/yr sample was sub-Water Well Disinfected? Yes TYPE OF BLANK CASING USED: CASING JOINTS: Glued Clamped 5 Wrought iron 8 Concrete tile Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass Threaded. . . . X. Blank casing diameter 2.3.75. Casing height above land surface. FULSh Mt. in., weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

10 Asbestos-cement 8 RMP (SR) 1 Steel 3 Stainless steel 5 Fiberglass 6 Concrete tile 9 ABS 12 None used (open hole) 2 Brass 4 Galvanized steel SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 5 Gauzed wrapped 11 None (open hole) 3 Mill slo 6 Wire wrapped 9 Drilled holes 1 Continuous slot 4 Key punched 7 Torch cut 2 Louvered shutter SCREEN-PERFORATED INTERVALS: From **GRAVEL PACK INTERVALS:** ft. From Bentonite # 6 GROUT MATERIAL: Cement grout ft., From 10 Livestock pens 14 Abandoned water well 11 Fuel storage Former 15 Oil well/Gas well 7 Pit privy 1 Septic tank 4 Lateral lines 12 Fertilizer storage 8 Sewage lagoon 16 Other (specify below) 2 Sewer lines 5 Cess pool 9 Feedyard 13 Insecticide storage 3 Watertight sewer lines 6 Seepage pit Direction from well? West North West How many feet? PLUGGING INTERVALS LITHOLOGIC LOG FROM FROM TO .50 0 Dk brn silty clay to clay, mdist, .50 firm, no oodor. Tan-lt. brn sandy silt, dry, 15 7 no odor, very fine sand. Tan sand, fine grained qtz. 33 15 well rounded & sorted, dry, no odor. Tan fine-med sand, moist to wet, 33 35 at 33'-34', no odor. × Fine-coarse grained sand, wet, 35 Flush mt. OK'd by Don Taylor no odor, well graded. 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-6-7539 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No.

JB Environmental Drilling

Water Well Record was completed on (modey/yr) 3.5 by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.