


1 LOCATION OF WATER WELL: County: <u>Wyandotte</u>		Fraction <u>NE 1/4 of SE 1/4</u>	Section Number <u>13</u>	Township Number <u>T 11 S</u>	Range Number <u>R 24 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>5200 Speaker Rd Kansas City, Kansas 66110</u>					
2 WATER WELL OWNER: <u>Harcros Chemical Inc.</u> RR#, St. Address, Box #: <u>5200 Speaker Rd.</u> City, State, ZIP Code: <u>Kansas City, KS. 66110</u>			Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL <u>52.3 ft.</u> ft. ELEVATION: <u>710.41 ft.</u> Depth(s) Groundwater Encountered 1 <u>41.24</u> ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL <u>41.24</u> ft. below land surface measured on mo/day/yr <u>4/18/02</u> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No <u>(No)</u>			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>(2) PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) <u>Welded</u> Blank casing diameter in. to <u>48</u> ft., Dia in. to ft., Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: <u>(7) PVC</u> 10 Asbestos-Cement 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify) 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot <u>(3) Mill slot</u> 5 Guazed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ft. SCREEN-PERFORATED INTERVALS: From <u>48</u> ft. to <u>52</u> ft., From ft. to ft. GRAVEL PACK INTERVALS: From <u>45</u> ft. to <u>54</u> ft., From ft. to ft. <u>NATIVE SAND</u>					
6 GROUT MATERIAL: 1 Neat cement 2 <u>(2) Cement grout</u> 3 Bentonite 4 Other Grout Intervals: From <u>45</u> ft. to <u>2</u> ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS <div style="text-align: center; font-size: 2em; transform: rotate(-45deg); opacity: 0.5;">No samples taken</div>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4/19/02</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>570</u> This Water Well Record was completed on (mo/day/yr) <u>5/25/02</u> under the business name of <u>AQUADRILL, INC.</u> by (signature) <u>Jeff Joym</u>					