		ATER WELL RECO	ORD Form WWC-5	KSA 82a-1			
1 LOCATION OF County: WYW	NATTE WELL:	Fraction 1/4	SR 14 NW 14		ion Number	Township Number	711
			Idress of well if located w		10		· · · · · · · · · · · · · · · · · · ·
	AW DR WAT	=		5, .			
2 WATER WELL	OWNER: ALLI	LO WASTE SI	ANTURS / FUR	SO MIRA	LANDFI	TIL.	
RR#, St. Address, City, State, ZIP Co	Box # : 4860 A	ANDR.					re, Division of Water Resource
3 LOCATE WELL	S LOCATION WITH	4 DEPTH OF CO	MPLETED WELL 13	1.5	ft. ELEVAT		
AN "X" IN SECT		Depth(s) Ground	water Encountered 1			2	ft. 3 ft.
	N	WELL'S STATIC	WATER LEVEL 1.32.	3ft. belo	w <del>land ourlac</del> e	measured on mo/day/y	ft. 3
	-   ·	Pum	p test data: Well water	was	ft. af	ter hou	urs pumpinggpn
NW-	NE	Est. Yield gpm: Well water was ft. after the first supply water supply 8 Air conditions and the first supply 8 Air conditions are supply 10 and 10 are supply 10 are					11 Injection well
	1 1	1 Domestic	3 Feedlot 6 O	I field water	supply	9 Dewatering	12 Other (Specify below)
W IX-	<del>                                     </del>	2 Irrigation	4 Industrial 7 D	omestic (law	n & garden) 🗨	Monitoring well	
1	1					V	the state of the s
SW-	SE	Was a chemical/ mitted	bacteriological sample รเ	ibmitted to D		es; If your ter Well Disinfected? Yes	es, mo/day/yrs sample was sub s No
5 TYPE OF BLA	NK CASING USED:		5 Wrought iron	8 Concre	ta tila	CASING JOINTS:	Glued Clamped
1 Steel	3 RMP (S		6 Asbestos-Cement		specify below)		Welded
2 PVC	4 ABS		7 Fiberglass				Threaded 📈
							ft
			in., weight		_		guage No. <b>5 CH.60</b>
	N OR PERFORATION		F. Eiberglage	Z PV	(SR)	10 Asbestos	
1 Steel 2 Brass	3 Stainles 4 Galvani		5 Fiberglass 6 Concrete tile	9 ABS		12 None use	ecify)d (open hole)
	RFORATION OPENI			d wrapped		8 Saw cut	11 None (open hole)
1 Continuous	-	6 Wire w			9 Drilled holes	11 None (open noie)	
2 Louvered s		key punched	7 Torch o			10 Other (specify)	ft
SCREEN-PERFO	RATED INTERVALS	S: From	ft. to	131	ft., From		ft. toft
		From	ft. to		ft., From		ft. toft
GHAVE	L PACK INTERVALS	6: From	ft. to <b>/</b> .3	<i>7</i> .5	ft., From .: tt. From		ft. toft ft. toft
		7 70117					
6 GROUT MAT		at cement					LEOS BRUTANITA
Grout Intervals:	From <b>3</b>	ft. to <i>I.I.G</i>	ft <b>3</b> From	ft. to	<i>1.19</i>	ft., From	ft. toft
What is the nearest source of possible contamination			v		10 Livestock pens		14 Abandoned water well
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage		15 Oil well/Gas well
2 Sewer lines 5 Cess pool		•	8 Sewage lagoon		12 Fertilizer storage		6 Other (specify below)
3 Watertight sewer lines 6 Seepage pit		page pit	9 Feedyard		13 Insecticide storage How many feet?		ANDPELL
FROM TO		LITUOLOGIC	100	FDOM			O INTERVALO
		LITHOLOGIC		FROM	ТО	PLUGGIN	G INTERVALS
0 42	SICI W	CLAY, BROW		-		- 10 to 10 t	
	SUA C	THIE, CHER	sy cany				
99 104	LENCS	MARKE GICK					
104 104		TONE, GRAY	Mu - Male				
106 107		BLACK TO DA	est guay				
107 127		PADE ADAY	-34 9147				
122 131	44.90 - 10-7	DUR LITCHI	POAY				
131 131-		1 (4)	GP477				
				<u> </u>			
<sup>7</sup> CONTRACTOF	R'S OR LANDOWNE	ER'S CERTIFICATI	ON: This well was	constru	cted, (2) recor	nstructed, or (3) plugged	d under my jurisdiction and was
oompiotod on (mort	2017, y Cui /				and this let	ora is true to trie best or y	ny knowledge and belief. Kansas
Water Well Contrac	ctor's Licence No	760	This Water V	ell Record v			7,06
under the business	name of #550	GATED DE	THERE THE	L	by (s	ignature)	14h

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.