

WYANDOTTE

WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. 00371184

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Spokane		NW ¼ NE ¼ NW ¼		9		T 11 S		R 24 E	
Distance and direction from nearest town or city street address of well if located within city? 7717 State Ave., Kansas City, Kansas									
2 WATER WELL OWNER: Michigan Reutilization LLC									
RR#, St. Address, Box # : 5590 Havana St.					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Denver, Colorado 80239					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 14 ft. ELEVATION: 891.28 (TOC)							
		Depth(s) Groundwater Encountered 1 11 ft. 2 ft. 3 ft.							
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8.25 in. to 14 ft. and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted									
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>									
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
7 Fiberglass Threaded Flush									
Blank casing diameter 2 in. to 4 ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface Flushmount in., weight 0.703 lbs./ft. Wall thickness or gauge No. SCH. 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 4 ft. to 14 ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 3 ft. to 14 ft. From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals From 0.5 ft. to 3 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/ Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? How many feet?									
FROM	TO	CODE	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS			
0	0.5		Asphalt						
0.5	4		Lean Clay						
4	10		Fat Clay						
10	11		Limestone						
11	12.5		Fat Clay						
12.5	13		Limestone						
13	14		Fat Clay						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 10/16/06 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 531					This Water Well Record was completed on (mo/day/yr) 10/27/06				
under the business name of Geotechnical Services Inc.					by (signature)				

OFFICE USE ONLY

T

R

SEC