WATER WELL RECORD			Divi	Division of Water Resources; App. No.						
1 LOCATION OF WATER WELL:		Fraction	5	Section No	umber Township		umber	Range Number		
County: Wyandotte SE ½ SE ½ SW ½ 15 T 11 S R 24 Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 d									R 24 E	
located within city? 6700 Kaw Dr. Variable Carole Smith City, State, ZIP Code City, State, ZIP Code City, State, ZIP COMPLETED WELL State City, State, ZIP COMPLETED WELL State City, State, ZIP COMPLETED WELL State City, State, ZIP Code City, State, ZIP COMPLETED WELL State City, State, ZIP Code City, State, ZI										
Kansas City, KS 66111 Longitude: W 94.73414°										
2 WATER WELL OWNER: Carole Smith					Elevation: RIM: 776.93 TOC: 776.63					
RR#, St. Address, Box # : 6191E. Eastman Ave.					Datum: above mean sea level					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 52										
LOCATON MW9										
I	AN "X" I	N Depth(s) Groun	dwater Encountered 1					ft. 3	ft.	
l .	ION BOX:	WELL'S STAT	IC WATER LEVEL	16.25 ft.	below la	nd surfa	ice measured	on mo/d	lay/yr 4/2/08	
	N Pump test data: Well water was ft. after hours pumping gr									
	Est. Yield gpm: Well water was ft. after hours pumping gp.									
⊢NW	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well										
-swsE										
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
S Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
1 Ste	el :	3 RMP (SR) 6	Asbestos-Cement 9	Other (s	pecify be	low)		Welde	ed	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 32 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.30 ft., Weight lbs./ft. Wall thickness or gauge No.										
Blank casing diameter 2 in. to 52 ft., Dia in. to ft., Dia in. to ft.										
Casing height below land surface 0.30 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
SCREEN-PERFORATED INTERVALS: From 32 ft to 52 ft. From ft to ft										
			From	ft. to		ft. Fro	om	ft. t	o ft.	
GRAVEL PACK INTERVALS: From 31 ft. to 52 ft. From ft. to							o ft.			
From ft. to ft. From ft. to								o ft.		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2 feet										
Grout Intervals From 2 ft. to 31 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
	tic tank		1 7	Livesto			ecticide Storag		16 Other (specify	
l .	er lines	5 Cess pool					andoned water		below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction from well? northeast How many feet? ~55 feet										
FROM	TO		LOGIC LOG	FROM	TO		PLUGGIN		ERVALS	
3	5	Asphalt	annual fill doels begun maist	33	35		ay, fat, very moist		ted, interbedded with	
3	3	no odor, poor recovery	gravel fill, dark brown, moist,	38	40		y, fat, moist	borry son	ted, interbedded with	
8	10	Silt, some clay, brown, n	noist, no odor	43	45			grained, 1	moderately sorted,	
13	15	Silt, some clay, brown, n				moist		-		
18	20	Silt with clay, brown, mo								
23	25	Silt with clay, brown, mo								
28	30	Inter-layered clay, brown saturated seams in sand,				Fluchmo	unt waiver from I	3OW		
		saturated scarins in said,	no outi			1 143111110	un varei nom i	,,,,,		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
			mo/day/year) 3/21/08						cnowledge and belief.	
		tractor's License No.				ompleted	d on (molday) ye	ar)	5/2/08	
1		of Larsen & Asso		by (signatu					- D - CW	
Geology Sec	tion, 1000 SW	Jackson St., Suite 420, T	e correct answers. Send top the opeka, Kansas 66612-1367.	elephone 78	85-296-5522	partment . Send or	of Meanth and Environment to WATER W	vironmen ELL OW	NER and retain one for	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one tow ATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										