WATE	R WELL R	ECORD	Forn	Form WWC-5			Division of Water Resources; App. No.						
1 LOCA	TION OF W Wya	ATER WELL:	Fraction SE 4	SE ¼	SW ¼	Se	ection Nu	umber	Townshi	ip Number	Range N	umber	
County: Wyandotte SE ½ SE ½ SW ½ 15 T 11 S R 24 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees. min. of 4 digits												4 digits)	
located within city? 6700 Kaw Dr. Latitude: N 39.08908°													
Kansas City, KS 66111  WATER WELL OWNER: Carole Smith							Longitude: W 94.73361° Elevation: RIM: 776.77 TOC: 776.61						
RR#, St. Address. Box # : 6191E. Eastman Ave.							Datum: above mean sea level						
RR#, St. Address, Box # : 6191E. Eastman Ave. City, State, ZIP Code : Denver, CO 80222							Data Collection Method: legal survey						
	3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 50 ft.												
LOCA							MW2						
	I AN "X" IN	Depth(s) Groun	ndwater Enc	ountered l				ft. 2		ft. 3		ft.	
SECT	WITH AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 46.3 ft. below land surface measured on mo/day/yr 4/2/08												
N Pump test data: Well water was ft. after hours pumping gpm													
Est. Yield gpm: Well water was ft. after hours pumping gpm													
NW—NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  1 Domestic 3 Feed let 6 Oil field water supply 9 Devetoring 12 Other (Specific below)													
W   E   1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well													
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs													
Sample was submitted Water Well Disinfected? Vos No V													
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  (2) PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 35 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.16 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:													
1 Ste	or CASING	PMP(SP) 6	A chectos-C	on 'ement	0 Othe	r (en	ecify bel	CASI	ING JOIN	Valda	Claint	Jed	
(2) PV	C 4	ARS 7	Fiberglass	CHICH	y Othe	ı (sp	echy bei	iow)		Thread	a led '	v	
Blank cas	ing diameter	7 in to	35 f	t Dia		in	to		Dia	in	to	<u>^</u>	
Casing hei	oht helow land	surface 0.1	6 ft W	eight		- ***	lhs /	ff Wal	ll thickness	s or gange l	Jo	It.	
TYPE OF	SCREEN OR	PERFORATION	MATERIA	AL:			105./	11. 17 41	i mionico.	or gauge i			
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)													
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
2 Lo	uvered shutter	Key punche	ed 6 Wire	e wrapped	8 Sa	w Cı	ut 1	0 Othe	r (specify)	11 Hone	(open note	,	
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 35 ft. to 50 ft. From ft. to											ft.		
From ft. to ft. From ft. to  GRAVEL PACK INTERVALS: From 34 ft. to 50 ft. From ft. to  From ft. to ft. From ft. to									)	ft.			
GRAVEL PACK INTERVALS: From 34 ft. to 50									om	ft. to	)	ft.	
			From		ft. to			ft. Fro	om	ft. to	) <sub></sub>	ft.	
6 GROU	J <b>T MATERL</b>	AL: 1 Neat cen	nent 2 Cei	ment grou	t (3 <b>B</b> ea	ntoni	ite (4	l)Other	concrete,	0-2 feet			
Grout Inte	ervals Fron	n 2 ft. to	34 ft.	From		ft. to		ft.	From		ft. to	ft.	
		ce of possible cor											
	tic tank				10 Live:				ecticide Sto		16 Other (		
	er lines	5 Cess pool		ge lagoon					andoned w		below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? Southwest  12 Fertilizer storage 15 Oil well/ gas well How many feet? ~95 feet													
	· · · · · · · · · · · · · · · · · · ·		LOCICI O		-			5 1000	7 IT	HOLOGIC	1.00		
FROM	TO		LOGIC LOG	J	FRO 28	M	TO	Sand sa		HOLOGIC			
3		phalt ty clay, brown, moist,	no odor		20	-	30			-very fine, gra turated, petroi			
8		ayey silt, brown, some		i,					urated seams		- Lann		
		oist, no odor	*		33		35	Clay & s	and, very fin	e, gray, very n	ioist,		
13		ayey silt, brown, some		i					seams, petro				
10		oist, slight petroleum o	odor		38	-			arse, silica ric	ch, poorly sort	ed, gray, mois	t, no	
18		recovery nd. some clay, fine-ve	ny fina aray n	ot				odor					
- 23		ill sorted, nearly satura				-		Flushmo	unt waiver fr	om BOW			
	od		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					$\overline{}$					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged													
under my jurisdiction and was completed on (mo/day/year) 3/19/08 and this record is true to the best of my knowledge and belief.													
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 5/2/08 under the business name of Larsen & Associates, Inc. by (signature)													
under the business name of Larsen & Associates, Inc. by (signature)  INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water,													
Geology Sec	tion, 1000 SW Ja	ckson St., Suite 420, 7	lopeka, Kansas	s 66612-136°	<ol><li>7. Telephon</li></ol>	e 785	-296-5522	. Send or	ne to WATER	R WELL OWN	JER and retain	n one for	
your records	. Fee of \$5.00 for	each constructed wel	l. Visit us at h	ttp://www.ke	dheks.gov/w	aterw	ell.						