		ECORD		WWC-5	Divi	sion of Wa	ter Reso	urces: App. No	s		
		ATER WELL: F		SE ¼ S	w ½ S	ection Nu 15	ımber	Township N	lumber S	Range Number	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
located within city? 6700 Kaw Dr. Latitude: N 39.08894°											
Kansas City, KS 66111  2 WATER WELL OWNER: Carole Smith							Longitude: W 94.73392°				
2 WATER V	E	Elevation: RIM: 776.45 TOC: 776.13 Datum: above mean sea level									
RR#, St. Address, Box # : 6191E. Eastman Ave. City, State, ZIP Code : Denver, CO 80222						Datum:	above	e mean sea le	vei		
					20	Jata Colle		1ethod: legal	survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 30 ft.											
LOCATO		MW13  N Depth(s) Groundwater Encountered 1 ft. 2 ft. 3									
WITH AN		Depth(s) Ground	water Enco	ountered I			ft. 2		_ ft. 3	ft.	
SECTION	BOX:									lay/yr <b>8/26/08</b>	
N Pump test data: Well water was ft. after hours pumping									ng gpm		
Est. Yield gpm: Well water was ft. after hours pumping									ng gpm		
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we									jection well		
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be											
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well										,	
-swsE-											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
Sample was submitted Water Well Disinfected? Yes No X											
G Dampie was satisfied. Water well Districted. 165 140 A											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
1 Steel	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.32 ft., Weight Ibs./ft. Wall thickness or gauge No.											
Blank casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to ft.											
Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
ISCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 15 ft. to 30 ft. From ft. to ft.											
SCREEN-PERFORATED INTERVALS: From 15 IL TO 30 IL From IL TO IL.											
From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 13 ft. to 30 ft. From ft. to ft.  From ft. to ft. From ft. to ft.											
GRAVEL PACK INTERVALS: From 13 ft. to 30 ft. From ft. to ft.											
			From		ft. to		ft. Fro	om	ft. t	o	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4) Other concrete, 0-2 feet											
Grout Intervals From 2 ft. to 13 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify											
2 Sewer lin		5 Cess pool			Fuel sto			andoned water		below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
Direction from	,		- · <b>,</b>			feet? ~10		J			
			2010100					DULCCD	IC DITI	CDVALC	
	О		OGIC LOG	· · · · · · · · · · · · · · · · · · ·	FROM	ТО		PLUGGIN	O IN I	EKVALS	
0		phalt	<del> </del>		<del> </del>						
3		ay, dark brown, with sil	t, moderate to	nıgn							
		sticity, moist, no odor	maint materal								
		t with clay, gray brown				<u> </u>					
13		t with clay, gray brown ry fine sand, some clay									
10	od		BILLY OTOWIL	c., penoieum		† · · · · · · · · · · · · · · · · · · ·					
23		ry fine sand, some clay,	gray brown	wet, petroleum							
	od		a, 0.0 mil	, serioreani			Flushmo	unt waiver from	BOW		
28	30 Cl	av. grav brown, some ve	ry fine sand	high plasticity	-				-		
7 CONTRAC	TOR'S	OR LANDOWNE	R'S CERT	IFICATIO	N: This w	ater well w	as (1) co	onstructed, (2)	reconstri	icted, or (3) plugged	
		was completed on (m	o/day/year)	8/25	/08	and this	recor <u>d</u> is	true to the bes	t of my k	mowledge and belief	
Kansas Water W	ell Contra	ctor's License No.	757	. This Wate			pripietee	mo/day/y	ear)9	/23/08	
		Larsen & Assoc			by (signatu		1	<u> </u>		·	
INSTRUCTIONS	S: Please fil	l in blanks or circle the ckson St., Suite 420, To	correct answe	rs. Send top th	ree copies to	Kansas De	palitinani o	of Health and En	vironmen	L Bureau of Water.	
Geology Section.	1000 SW Ja	ckson St., Suite 420, To each constructed well.	peka, Kansas Visitus at ht	06612-1367. T to://www.kdhel	elephone 78	35-296-5522 well	- And bu	ne to WATER W	ELL OW	NEK and retain one for	
Tour records. Tee	O1 WJ. VV 10.	CAULI COMBUNCTED WOIL	as at III								