WATE	R WELL RECO	ORD	Form WWC-	5 KSA 82	a-1212 II	D No.			
1 LOCATION OF WATER WELL: County: WANDOTTE	Fraction 1/4 ·	NW	14 NW	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	ection Numb	er Township T	Number	Range Number	
Distance and direction from nearest town of			<i>7</i> 1	. /		8 57H 31)	JAT: 1	V39° 6' 7.7"	
	PHILLEPS		CETY, 1	(S 66	102		LONG: h	194°42′17.2"	
RR#, St. Address, Box # : 1366 PA City, State, ZIP Code : BARTLES	GUIPS "	BLDG		(918-60	ol-3616	Board of Applicati	Agriculture, Don Number:	ivision of Water Resources	
= LOOMIC WELLS LOOMION WITH	DEPTH OF CO			4.0	ft. ELE	VATION:			
W   W   W   E   W   W   W   W   W   W	ELL'S STATIC Pum st. Yield ELL WATER T 1 Domestic 2 Irrigation	WATER up test da gp TO BE US 3 Fe 4 Ind	A LEVEL .3.5  ata: Well was  bm: Well was  SED AS:  eedlot  dustrial	Ater waster was Ster was	elow land sui	face measured on ft. afterft. after	mo/day/yr hours prhours pr ing 11 In 12 O	umpinggpm umpinggpm jection well ther (Specify below)	
	as a chemical/ itted	/bacterio	logical samp	e submitted to	Departmen	t? Yes No Water Well Disinfe	•	o/day/yrs sample was sub-	
5 TYPE OF BLANK CASING USED:		5 Wrou	ght iron	8 Cond	rete tile	CASING .	IOINTS: Glued	d Clamped	
1 Steel 3 RMP (SR) 2 PVO 4 ABS		6 Asbestos-Cement 7 Fiberglass			9 Other (specify below)		Threaded		
Blank casing diameter	_	30	ft., Dia		in. to	ft.,	Dia	ft.	
Casing height above land surface		in., v	veight					e No <b>SCH/.40</b>	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel			<ul><li>5 Fiberglass</li><li>6 Concrete tile</li></ul>		8 RMP (SR) 9 ABS		10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)		
2 Brass 4 Galvanized SCREEN OR PERFORATION OPENINGS		O CONC		azed wrapped			ione useu (op	•	
1 Continuous slot 3 Mill s	_		6 Wi	re wrapped ch cut	1	8 Saw cut 9 Drilled hole 10 Other (spe		11 None (open hole)ft.	
SCREEN-PERFORATED INTERVALS:  PACK INTERVALS:	From		ft. to ft. to ft. to	40	ft., Fr ft., Fr	om om	ft. to	ft. ft. ft.	
6 GROUT MATERIAL: 1 Neat ce			ment grout		ntonite				
Grout Intervals: From		IL.	., From	II		π., From restock pens		ft. toft. bandoned water well	
1 Septic tank 4 Lateral II			7 Pit priv	<b>r</b> y		el storage		il well/Gas well	
				8 Sewage lagoon 12 Fert				ther (specify below)	
3 Watertight sewer lines 6 Seepage Direction from well? <b>WEST</b>	e pit		9 Feedy	ard		secticide storage		PEPELINE KELEASE	
	LITHOLOGIC	LOG		FROM	TO	nany feet? ~ 14	LUGGING IN	TERVALS	
D 40' STLTY CLA			7	+3'		5'x4"x4"			
						WELL	PROTECT	OR	
				-					
Water Well Contractor's Licence No	0/.09 788 5 ENV.	DR	This Wat	er Well Recor	and this was compl	record is true to the	best of my kn 5/19/0 Ley W	owledge and belief. Kansas	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top tifree copies to Kansas Department of Heal and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.

