CORRECTION(S) TO WATER WEL	,
(to rectify lacking or incorrect Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction (1/4 1/4 1/4):	SW SW SW NW
Other changes: Initial statements: Johnson County	
Changed to: Wyandotte Count	y
Comments:	
verification method: Latitude & longitude, Ko	GS" LEO" conversion tool,
verification method: Latitude & longitude, Ko well owner's address, city street KGS website.	map; and mapping tool on initials: OPL date: 10/20/2009
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Coto: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jack	onstant Ave., Lawrence, KS 66047-3726

WATER W	ELL PLI	IGGING R	RECORD	Form WV	VC-5P	KSA 82	a-1212 ID N	10.	MW-1		
LOCATIO	N OF WATE		Fraction		Section		Township Nun	nber	Range Number		
County: Jo		Well Location:	if unknown, di	1/4 1/4 istance &	Global Po	sitioning S	ystems (GPS) in	S nforma	E W		
			ion: If at owne		Latitude:	39.095830			_(in decimal degrees)		
check here	by from nearest town or intersection: If at owner's address, here Latitude: 39.095830								_(in decimal degrees)		
					Datum:	✓ WG	S84, NA	D83,	NAD27		
Collection Method:											
	WATER WELL OWNER: Ashland Chemical Co. PD# St. Address Box #: 5400 Species Bood Digital Map/Photo, Topographic Map, Land Survey										
	5420 Speaker Road										
City, Stat	City, State ZIP Code: Kansas City, KS 66106 Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m										
MARK W	MARK WELL'S LOCATION WITH AN "X" IN SECTION 4 DEPTH OF WELL 48.5 ft.										
WITH AI BOX:	N "X" IN SI	ECTION	WELL	'S STATIC W	ATER LEVE	37.51	ft				
	N		1	WAS USED A							
NW/											
_ NW	NW NE Domestic Public Water Supply Dewatering Irrigation Oil Field Water Supply ✓ Monitoring										
w	E Feedlot Domestic (Lawn & Garden) Injection Well										
SW SE Industrial Air Conditioning Under											
Was a chemical/bacteriological sample submitted to Department? Yes ✓ No											
	S										
TYPE OF	F BLANK C	ASING USE	D:								
Stee PVC		P (SR)	Wrought Asbestos-C		Fiberglass Concrete Tile		Other (Specify be	elow)			
V 1 *C				_			4.00				
Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 4.62' Casing height above or below land surface 36 in.											
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Plug Intervals: From <u>3</u> ft. to <u>48.5</u> ft., From ft. to ft., From to ft.											
			ole contamina								
Septi	c tank er lines		Seepage pit Pit privy		Storage izer storage		Other (specify be	elow)			
	r ines rtight sewer	lines S	n privy Sewage lagooi		ticide storage	e					
Later	al lines	F	eedyard	Aban	doned water	well Dir		l?			
Cess	pool	L	ivestock pens	s Oil w	ell/Gas well	Но	w many feet?				
FROM	ТО	PLUC	GGING MAT	ERIALS	FROM	ТО	PLUGO	GING I	MATERIALS		
0	3'	Soil, comp									
3'	48.5'	Bentonite	chips								
	-										
CONTRA	CTOR'S O	R LANDOV	WNER'S CF	ERTIFICATION	N: This w	vater well	was plugged un	der m	y jurisdiction and was		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 5-6-2009 and this record is true to the best of my knowledge and belief. Kansas Water											
Well Contractor's License No. 655 . This Water Well Record was completed on (mo/day/year) 6-1-2009 under the											
business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)											
									nderline or circle the		
correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5524. Send one to Water Well Owner and retain one for your											
			gov/waterwel		JI 270 - J 324,	Sena one t	o water well OV	wher ar	iu iciani one for your		
			_		Check of	ne.	White Copy	Rlıı	e Copy Pink Copy		
Check one: White Copy Blue Copy Pink Copy											



