CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction (1/4 1/4 1/4):	SW NW SW NW
Other changes: Initial statements: John Son Count	<i>y</i>
Changed to: Wyandotte County	
Comments:	
verification method: Latitude & longitude, Ko well owner's address, city stre	et map, and mapping tool initials: ORL date: 10/21/2009

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

\mathbf{W}_{λ}	ATER W	ELL PLU	JGGING F	RECORD	Form WW	'C-5P	KSA 82	a-1212 ID NO.	MVV-12B	
1	LOCATION County: Jo		ER WELL:	Fraction 1/4	1/4 1/4	/4	Number	Township Number T S	Range Number	
	Street/Dural Address of Well Location: if unknown distance & Global Positioning Systems (GPS) information:									
	direction from nearest town or intersection: If at owner's address, check here						Latitude: 39.097187 (in decimal degrees) Longitude: -94.704198 (in decimal degrees) Elevation: 760.6			
						Datum: WGS84, NAD83, NAD27 Collection Method:				
2	WATER WELL OWNER: Ashland Chemical Co.					GPS unit (Make/Model:				
	RR#, St. Address, Box #: 5420 Speaker Road				☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	City, State ZIP Code: Kansas City, KS 66106					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square > 15 m				
3	MARK W WITH AN	ELL'S LO "X" IN SI			H OF WELL <u>6</u>					
	BOX:	N		WELL	'S STATIC WA	TER LEVE	35.23	ft		
		T T		WELL	WAS USED A	S:				
	NW		NE -	1	mestic		Vater Supp			
w	,		E		gation		l Water Su c (Lawn &		ion Well	
	sw		SE _		ustrial		ditioning			
			SE —	Was a c	chemical/bacteri	ological sam	iple submit	ted to Department? Y	es 🗸 No	
5	TYPE OF	S BLANK C	ASING USE	ED:						
	Steel	Прм	IP (SR)	Wrought	□ E	iberglass	\Box	Other (Specify below)		
	✓ PVC	AB		Asbestos-C	ement C	iberglass oncrete Tile		——————————————————————————————————————		
	Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 5.02' Casing height above or below and surface 36 in.									
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other										
	Grout Plug	Intervals:	From 3	ft. to _6	68 ft., Fi	om	_ft. to _	ft., From_	to ft.	
	What is the	nearest soi	urce of possib	ole contamina	tion:					
	Septic	tank	S	eepage pit	Fuel S	torage		Other (specify below)		
		lines tight sewer	lines P	it privy		zer storage cide storage	. —	A		
		tignt sewer Il lines		ewage lagoor		oned water v		ection from well?		
	Cess p	oool		ivestock pen	s Oil we	ll/Gas well	Но	w many feet?		
	FROM	ТО	PLUC	GGING MAT	ERIALS	FROM	TO	PLUGGING	MATERIALS	
	0	3'	Soil, comp	acted						
	3'	68'	Bentonite	chips						
			-							
			-					-		
					. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
				WNER'S CE					ny jurisdiction and was	
			ar) 5-5-2009 No. 655	Th					d belief. Kansas Water 2009 under the	
Well Contractor's License No. 655 . This Water Well Record was completed on (mo/day/year) 6-1-2009 under the business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)										
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW										
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.										
rece	ords. Visit u	is at http://v	www.kdheks.	gov/waterwe	ll/index.html.					
Check one: White Copy Blue Copy Pink Copy										



