CORRECTION(S) TO WATER WELL	L RECORD (WWC-5)
(to rectify lacking or incorrect	information)
	County: Wyandotte
Location listed as:	County: Wyandotte  Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction ( 1/4 1/4 1/4):	SW NW SW NW
Other changes: Initial statements: Johnson Count	<i>y</i>
/	
Changed to: Wyandotte County	
Comments:	
verification method: Latitude & longitude, Ko	as"LEO" conversion tool,
verification method: Latitude & longitude, Ko well owner's address, city stre	et map, and mapping tool
on KGS website.	\\ \alpha \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

W	ATER WELL PLUGGIN	NG RECORD Form W	VC-5P KSA 82a-1212 ID NO. MW-13		
1	LOCATION OF WATER WEI		Section Number   Township Number   Range Number		
	County: Johnson	1/4 1/4 1/4	74 T S E	W	
	Street/Rural Address of Well Loc. direction from nearest town or intecheck here		Global Positioning Systems (GPS) information:  Latitude: 39.096887 (in decimal degree Longitude: -94.704723 (in decimal degree Elevation: 760.5  Datum: WGS84, NAD83, NAD27  Collection Method:		
2	C' C / ZID C 1	Ashland Chemical Co. 5420 Speaker Road Kansas City, KS 66106	GPS unit (Make/Model: Digital Map/Photo, Topographic Map, Land Survey  Est. Accuracy: < 3 m, 3-5 m, 5-15 m, > 15 m		
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  N N NE NW NE NE	WELL'S STATIC W WELL WAS USED  Domestic Irrigation Feedlot Industrial	44ft.  ATER LEVE 35.04ft		
5	TYPE OF BLANK CASING	USED:			
6	Steel RMP (SR) Absstos-Cement Concrete Tile  Blank casing diameter in. Was casing pulled? Yes No If yes, how much 4.75'  Casing height above below land surface 36 in.  6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other  Grout Plug Intervals: From 3 ft. to 44 ft., From ft. to ft., From to ft.  What is the nearest source of possible contamination:  Septic tank Seepage pit Fuel Storage Other (specify below)  Sewer lines Sewage lagoon Insecticide storage  Lateral lines Feedyard Abandoned water well Direction from well?  Cess pool Livestock pens Oil well/Gas well How many feet?				
	FROM TO I	PLUGGING MATERIALS	FROM TO PLUGGING MATERIALS	$\neg$	
		compacted	FROM TO PLUGGING MATERIALS		
		onite chips			
we bus INS	npleted on (mo/day/year) 5-5-2 ell Contractor's License No. 655 siness name of PSC Industrial Ou STRUCTIONS: Use typewrite rect answers. Send top three co kson St., Ste. 420, Topeka, Kan	and this research and this res	ON: This water well was plugged under my jurisdiction and cord is true to the best of my knowledge and belief. Kansas W Record was completed on (mo/day/year) 6-1-2009 under the lateral by (signature) under the lateral was plugged under my jurisdiction and was a way of the lateral was plugged under my jurisdiction and	ater the the way	
			Check one: White Copy Blue Copy Pink Co	ору	



