CORRECTION(S) TO WATER WEL	, ,
(to rectify lacking or incorrec	
Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction ( ¼ ¼ ¼):	NW SW SW NW
Other changes: Initial statements: Johnson Coun	tv.
Changed to: Wyandotte County	
Comments:	
verification method: <u>Latitude &amp; longitude</u> , K	'GS' "LEO" conversion tool,
well owner's address, city str	pet map, and mapping tool
	initials: ORL date: 10/21/2009
submitted by: Kansas Geological Survey, Data Resources Library, 1030 Co.	notant Ave. Lawrence, KS 66047-3726

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

$\mathbf{W}_{A}$	ATER W	ELL PLU	JGGING I	RECORD	Form WW	C-5P	KSA 82	a-1212 ID NO.	MW-14	
1			ER WELL:	Fraction			Number	Township Number	Range Number	
-	County: Johnson 1/4 1/4 1/4 1/4						-:4::	T S	☐ E ☐ W	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning Systems (GPS) information:  Latitude: 39.095955 (in decimal degrees)  Longitude: -94.704375 (in decimal degrees)				
						Elevation: N/A Datum: WGS84, NAD83, NAD27 Collection Method:				
2	WATER WELL OWNER: Ashland Chemical Co. RR#, St. Address, Box #: 5420 Speaker Road City, State ZIP Code: Kansas City, KS 66106					☐ GPS unit (Make/Model: Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
						Est. Accuracy: $\square$ < 3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ > 15 m				
3	WITH AN	MARK WELL'S LOCATION 4 DEPTH OF WELL 44 ft.								
	BOX:	N		İ	'S STATIC WA		41.34	ft		
				WELL	WAS USED A	S:				
w	NW NE Domestic Public Water Supply Oil Field Water Supply Domesting Monitoring Injection Well Other									
		S		Was a c	hemical/bacteri	ological san	nple submit	ted to Department?	Yes 🗸 No 🗌	
5	TYPE OF	BLANK C	CASING USE	D:						
	Steel RMP (SR) Wrought Fiberglass Other (Specify below)  PVC ABS Concrete Tile									
Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 4.18'  Casing height above or below and surface 36 in.										
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Plug Intervals: From 3 ft. to 44 ft., From ft. to ft., From ft., From ft.										
	What is the nearest source of possible contamination:  Septic tank Seepage pit Fuel Storage Sewer lines Pit privy Fertilizer storage Other (specify below)									
	Watertight sewer lines Lateral lines Cess pool Livestock pens Sewage lagoon Feedyard Abandoned water well Oil well/Gas well How many feet?									
	•						,			
	FROM	TO 3'		GING MAT	ERIALS	FROM	ТО	PLUGGING	MATERIALS	
	3'	44'	Soil, comp							
	3		Denionile	unps						
7	CONTRAC	CTOR'S O	R LANDOV	VNER'S CE					ny jurisdiction and was	
completed on (mo/day/year) 5-4-2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 655 . This Water Well Record was completed on (mo/day/year) 6-1-2009 under the business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)										
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5524. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/waterwell/index.html.										
Check one: White Copy Blue Copy Pink Copy										
							L	.,	.,	



