## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

	County: Wyandotte
Location listed as:	Location changed to: /
Section-Township-Range: None Given	13-115-24E
Fraction ( ¼ ¼ ¼):	NE SW SW NW
Other changes: Initial statements: Johnson Coun	ty
	/
Changed to: Wyandotte County	
Comments:	
verification method: Latitude & longitude, K	'GS' "LEO" conversion tool,
verification method: Latitude & longitude, K  well owner's address, city str  on KGS website.	eet map, and mapping tool
on KGS website.	initials: LRL date: 10/21/2009
submitted by: Kansas Geological Survey Data Resources Library 1930 Co.	,

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

W	ATER WELL PLUGGING I	RECORD	Form WV	/C-5P	KSA 82:	a-1212 ID NO	. MW-106			
1	LOCATION OF WATER WELL: County: Johnson		1/4	1/4	Number	Township Number	□ E □ W			
	Street/Rural Address of Well Location;			Global Po	sitioning S	systems (GPS) info	ormation:			
	direction from nearest town or intersect	ion: If at owner's	address,	Latitude: 39.096188 (in decimal Longitude: -94.703790 (in decimal constitution)						
	check here ✓			Longitude: -94.703790 (in decimal degree			(iii decimai degrees)			
				Datum:						
						Collection Method:				
2	WATER WELL OWNER: Ashla	GPS unit (Make/Model:								
	5420 Speaker Road				☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	City, State ZIP Code: Kansas City, KS 66106			Est. Accuracy: □ < 3 m, □ 3-5 m, ☑ 5-15 m, □ > 15 m						
3	MARK WELL'S LOCATION 4 DEPTH OF WELL 58 WITH AN "X" IN SECTION				8.7 <b>ft.</b>					
	BOX:	BOX: WELL'S STATIC WATER LEVE 37.2 ft								
	N	WELL W	AS USED A	S:						
	NW NE	Domes	rtio [	Dublic V	Vater Suppl	ly D	watering			
	INE -	Irrigati			d Water Suppl		onitoring			
W	E	Feedlo			c (Lawn &		ection Well			
	sw se -	Industr	rial L	☐ Air Con	ditioning	☐ Ot	her			
		Was a che	mical/bacteri	ological sam	nple submit	ted to Department	Yes 🗸 No			
	S TYPE OF BLANK CASING USE	[D:								
,		7								
	Steel RMP (SR) RBS	Wrought		iberglass		Other (Specify belo	w)			
	✓ PVC ABS	Asbestos-Cem	ient $\square$ C	Concrete Tile	_					
	Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 2.2'  Casing height above or below land surface 36 in.									
;	GROUT PLUG MATERIAL:  Neat cement  Cement grout  Bentonite  Other  Grout Plug Intervals:  From 3 ft. to 58.7 ft., From ft. to ft., From to ft.									
	What is the nearest source of possible contamination:									
	•	bie contamination Seepage pit		Storage		Other (specify belo	w)			
		it privy		zer storage		other (speetry bere	<b>"</b> )			
	Watertight sewer lines S	lewage lagoon	Insect	icide storage						
		eedyard		loned water						
	Cess pool Dil well/Gas well How many feet?									
	FROM TO PLUC	GGING MATER	IALS	FROM	TO	PLUGGI	NG MATERIALS			
	0 3' Soil, comp	acted								
	3' 58.7' Bentonite	chips								
	CONTRACTOR'S OR LANDOV	VNER'S CERT								
	pleted on (mo/day/year) 5-6-2009	and t					and belief. Kansas Wat			
Well Contractor's License No. 655 This Water Well Record was completed on (mo/day/year) 6-1-2009 under the business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)										
uS	mess name of	mg, LF formerly Pi	IIIIA EUNIOUM	by (SI	gnature)	Jaremy B	, g 444/			
NS	TRUCTIONS: Use typewriter or b	pallpoint pen. Pl	lease press fi	rmly and pri	nt clearly.	Please fill in blank	s, underline or circle the			
correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW										
acl	sson St., Ste. 420, Topeka, Kansas 60	6612-1367. Tel	ephone: 785	/296-5524.	Send one to	Water Well Owne	er and retain one for your			
ecc	ords. Visit us at http://www.kdheks.	gov/waterwell/ir	idex.html.							
				Check on	ie:	White Copy	Blue Copy Pink Cop			
					_		_			



