CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information)

	County: Wyandotte
Location listed as:	Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction (¼ ¼ ¼):	NE SW SW NW
Other changes: Initial statements: Johnson Count	Ly
Changed to: Wyandotte County	
Comments:	
verification method: Latitude & longitude, K	GS"LEO" conversion tool,
verification method: Latitude & longitude, Ko well owner's address, city str on KGS website.	ext map, and mapping tool initials: ARL date: 10/21/2009
submitted by: Kansas Geological Survey, Data Resources Library, 1930 Cor	•

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

W	ATER WELL PLUGGING	RECORD	Form WW	'C-5P	KSA 82a	a-1212 ID NO.	TW-2		
1	LOCATION OF WATER WELL:	Fraction			Number	Township Number T S	Range Number		
	County: Johnson Street/Rural Address of Well Location				sitioning S	ystems (GPS) inforn			
	direction from nearest town or interse						(in decimal degrees)		
	check here	or o address,	Longitude	-94.703822		(in decimal degrees)			
	Circuit Mere	Elevation: N/A							
			Datum: WGS84, NAD83, NAD27						
		Collection Method:							
2	WATER WELL OWNER: Ash	nland Chemica	al Co.	GPS unit (Make/Model:					
	RR#, St. Address, Box #: 542	d	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
	City, State ZIP Code: Kansas City, KS 66106 Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15								
3	MARK WELL'S LOCATION	4 DEPTI	H OF WELL <u>4</u>	4.5	ft.				
	WITH AN "X" IN SECTION BOX:	WELL.	'S STATIC WA	TER LEVE	40.52	ft			
	N				·	 -			
		WELL	WAS USED A	S:		_			
	NW NE	☐ Dor	nestic [Public V	Vater Suppl	y 🔲 Dewa	tering		
			gation _		d Water Sup				
W	/ E	1 1 1	dlot		c (Lawn &		ion Well		
	SW SE	☐ Indi	ustrial L	∆ir Con	ditioning	☐ Other			
		Wasac	hemical/hacteri	ological san	ınle suhmit	ted to Department? Y	es [] No []		
		Was a c	menneur oueter	ological sail	ipie suomit	ted to Department.	V NO		
5	TYPE OF BLANK CASING US	SED:							
	Steel RMP (SR)	Wrought		iberglass		Other (Specify below)			
	✓ PVC □ABS	Asbestos-C	ement \square C	oncrete Tile	-				
	Blank casing diameter 2 in. Was casing pulled? Yes V No I If yes, how much 4.06' Casing height above or pelow land surface 36 in.								
6	CROUT PLUC MATERIAL:	Neat cem	ent Cem	ent grout	Renton	ite Other			
U	GROUT PLUG MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
	Grout Plug Intervals: From 3	ft. to _4	14.5 ft., F	rom	_ ft. to _	ft., From _	to ft.		
	What is the nearest source of poss			4		O41 (
		Seepage pit		torage	□ (Other (specify below)			
	Sewer lines Watertight sewer lines	Pit privy Sewage lagoor		zer storage icide storage					
	Lateral lines	Feedyard		oned water		ection from well?			
		Livestock pens		ll/Gas well		w many feet?			
	FROM TO PLU	JGGING MAT	ERIALS	FROM	TO	PLUGGING	MATERIALS		
	0 3' Soil, com	npacted							
	3' 44.5' Bentonite								
	Dontonia	- 5p5							
	CONTRACTOR'S OR LANDO								
	mpleted on (mo/day/year) 5-4-2009	TO!					d belief. Kansas Water		
	Well Contractor's License No. 655 . This Water Well Record was completed on (mo/day/year) 6-1-2009 under the								
business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)									
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the									
correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW									
	kson St., Ste. 420, Topeka, Kansas								
	ords. Visit us at http://www.kdhek						c.a one for your		
	·			Charles		White Core DI	no Come Diala Co		
				Check or	ie:	White Copy Bl	ue Copy Pink Copy		



