CORRECTION(S) TO WATER WEI (to rectify lacking or incorrec	
Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: None Given	13-115-24E
Fraction ( ¼ ¼ ¼):	NE SW SW NW
Other changes: Initial statements: Johnson Coun	ty.
Changed to: Wyandotte County	
Comments:	
verification method: <u>Latitude &amp; longitude</u> , K	'GS' "LEO" conversion tool,

initials: Of date: 10/2

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATED	WELL PL	IIGGING I	ECORD.	Form V	wwa	C- <b>5P</b>	KSA 82	9-1212	ID NO.	TW-9	
	ION OF WAT		Fraction	101111		Section	Number		p Number	Range Number	
	Johnson		1/4	1/4 1/4	1/4		•••	T	S	☐ E ☐ W	
	iral Address of								PS) inform	(in decimal degrees)	
	from nearest to	wn or intersect	ion: II at own	er's address,	[ ]	Longitude	: -94.703489	9		(in decimal degrees)	
CHECK HC	Elevati						vation: N/A				
						Datum: Collection	Wethod:	S84, ∟	」NAD83,	□ NAD27	
					:			e/Model·			
	R WELL OW					✓ Dig	ital Map/Pho	oto. $\Box$ To	pographic M	ap,	
	RR#, St. Address, Box #: 5420 Speaker Road City, State ZIP Code: Kansas City, KS 66106  Est. Accuracy:     St. Address, Box #: Topographic Map, Land Survey										
		Naiis	JS City, NO 0			Est. Accura	icy: □ <	3 m, □.	3-5 m, □	3-13 m, □ > 15 m	
MARK	WELL'S LC	CATION	4 DEPT	H OF WEI	LL 43.	.5	ft.				
WITH BOX:	AN "X" IN S	ECTION	WELL	WELL'S STATIC WATER LEVE 37.97 ft							
<b>D</b> 0711	N	<del></del>		, WAS USE				*			
			WELL	WAS USE	D AS.						
	W -	NE -		mestic	$\mathbb{H}$		Vater Supp		Dewat		
w		<sub>E</sub>	1 1 1	gation dlot	H		d Water Su ic (Lawn &		✓ Monit	oring ion Well	
- 1			1 1 1	ustrial			ditioning	. Garden)		ion wen	
S	w	SE —					_				
			Was a c	chemical/ba	cteriol	logical san	nple submi	tted to Dep	artment? Y	es 🗸 No 🗌	
TVDE	S OF BLANK (	CASING HEL	'D.								
ITE	JF DLANK (	ASING USE	љ.								
	eel $\square$ RM	1P (SR)	Wrought		Fib	erglass		Other (Spec	cify below)		
<b>√</b> P∨	/C \[ \] AB	s L	Asbestos-C	ement L	Coı	ncrete Tile					
	Γ PLUG MA									A	
Grout P	lug Intervals:	From 3	ft. to _	+3.3 It.,	Fro	m	_ ft. to _	ft.,	From _	to ft.	
What is	the nearest so										
	otic tank		eepage pit		uel Sto			Other (spe	cify below)		
	wer lines atertight sewei		it privy Sewage lagoor			er storage ide storag		·			
	teral lines		eedyard			ned water		rection from	n well?		
Ce	ss pool		ivestock pens	s 🔲 O	il well	/Gas well	Ho	w many fe	et?		
FRO	M TO	DI I IV	GGING MAT	FRIAIS	<del></del>	FROM	ТО	מ	LUGGING	MATERIALS	
0	3'	<del></del>	compacted	LIMIALS		1 KOW	10	r	LOGGING	MATERIALS	
3'	43.5'	Bentonite	<del></del>		$\overline{}$			<del> </del>			
3	70.0	Demonie	or iipa								
								1			
								1			
				<del></del>	$\dashv$		1				
		1			-+			-			
CONTR	ACTOR'S C	R LANDON	WNER'S CI	ERTIFICA	TION	: This w	ater well	was nluoo	ed under m	y jurisdiction and w	
ompleted o	n (mo/day/ye	ar) 5-5-2009		and thi	s reco	rd is true	to the best	of my kn	owledge and	d belief. Kansas Wat	
Vell Contra	ctor's License	No. 655	Th	nis Water W	ell Re	cord was	completed	on (mo/day	/year) 6-1-	2009 under th	
business name of PSC Industrial Outsourcing, LP formerly Philip Environmental by (signature)											
NCTDUCT	TIONS: Use 4	vnewriter or 1	allnoint non	Please nea	occ firm	alv and no	nt clearly	Plance fill	in blanks	inderline or circle the	
										ogy Section, 1000 SW	
										nd retain one for your	
	sit us at http://									•	
						Check or	ne· [	White Co	nv 🗆 Rh	ue Copy Pink Cop	



