WATER WELL RECORD	Form WWC-5	Division of Water	r Resources App. N	o	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number	
County: Wyandotte	NW 1/4 NE 1/4 NW 1/4 NE 1/4	3	T 11 S	R 24	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection: If at	Latitude: .39.128394 (in decimal degrees)				
Former Amoco Station #5325		Longitude: 94.730417 (in decimal degrees) Elevation: 929			
6523 Parallel Parkway, Kansas City, Kansas 66102		Datum: WGS 84, M NAD 83, NAD 27			
2 WATER WELL OWNER: BP Products North America		Collection Method:			
RR#, Street Address, Box #: 28100 Torch Parkway		GPS unit (Make/Model:)			
City, State, ZIP Code : Warrenville, Illinois 60555		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		Est. Accuracy: Z <	3 m, 🔲 3-5 m, 🔲	5-15 m, >15 m	
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF					
SECTION BOX: Depth(s) Groun	Depth(s) Groundwater Encountered (1).23 ft. (2).N/A ft. (3).N/A ft. WELL'S STATIC WATER LEVEL 23.51 ft. below land surface measured on mo/day/yr.11-2-13				
WELL'S STAT	WELL'S STATIC WATER LEVEL				
l nom vyynt m	I room verse m AUA verse AUA a a AUA a a AUA				
-NWNE EST. YIELD.N	Bore Hole Diameter 8.25 in. to .25 ft., and .N/A in. to .N/A ft.				
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well				
Domestic Discolled Doll Sald materials Domestic Doll (S. 15.1.1.)					
	SWSE Doinestic Greater Domestic-lawn & garden Monitoring well MW-11R				
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted.N/A					
Water well disinfected? Yes No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 2					
Casing height above land surface0					
Steel Stainless Steel		Other (Specify)			
☐ Steel ☐ Stainless Steel					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From15					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
GRAVEL PACK INTERVALS: From					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0-2-feet					
Grout Intervals: From .2 ft. to .13 ft., From .NA ft. to .NA ft. to .NA ft. to .NA ft.					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well					
Direction from well South		rom weil<50-faet			
FROM TO LITHOLOG				GGING INTERVALS	
0 1.5 Asphalt					
1.5 25 CH: grey CLAY moist	to wet soft				
plastic					
25 Auger Refusal on Lime	estone Bedrock				

	······································				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .11:2:13 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on (mo/day//ear) 11-10-13					
under the business name ofRAZEK.Env		by (signature)	1 ' AP / '		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					

http://www.kdheks.gov/waterwell/index.html