AA WIT	K WELL	RECORD	1 01 11		_			ources; App. No.		
1 LOCA	ATION OF	WATER WELL:	Fraction	SW //	NE	Section	Number	Township Number	er Range Number	
Distance	and direction	n from perset tour	or city stree	t address o	f well it	Global I	Positionin	g System (decimal d	legrees min of 4 digits	
Township Number Range Number Sw 1/4 Sw 1										
			•			Longit	ude: NA			
2 WAT	ER WELL	OWNER: Barton	Solvents,	Inc.		Elevati	on: NA			
RR# S	St. Address	. Box # : 901 S. 6	66 th Terr.			Datum	: NA			
City S	State ZIP C	ode Kansas	City, KS			Data C	ollection	Method: NA		
City, State, ZIP Code : Kansas City, KS Data Collection Method: NA 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 54 ft.										
LOCATON MW5A										
		N Denth(e) Groun	dwater Enc	ountered 1		112110	f 2	fi	3 ft	
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL NA ft. below land surface measured on mo/day/yr									
SECT										
	N	Pump	test data:	well water	r was		n. aner	nours pur	nbing gpii	
	1 1	Est. Yield	gpm:	Well water	r was		n. aner	nours pur	nping gpn	
NV	v—— NE -	WELL WATER	TO BE U	SED AS: 5	Public	water sup	ply 8 A	ir conditioning 11	Injection well	
W X SE SE 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr									Other (Specify below)	
									Sample was submitted Water Well Disinfected? Yes No X	
F. MADE OF CACINIC LICED. 5. Westella Land 9. Consists tills CACINIC LODITIC. Client Client										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X										
1 Ste	eel	3 RMP (SR) 6	Asbestos-C	ement	9 Oth	er (specify	below)	We	lded	
(2)PV	/C	4 ABS 7	Fiberglass					Thr	eaded X	
Blank cas	ing diamete	er 2 in. to	34 ft	t., Dia		in. to	ft	., Dia	in. to ft	
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 34 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface NA ft., Weight Ibs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Ste	eel 3 Sta	nless steel 5 Fib	erglass (7) PVC	9	ABS		11 Other (specif	v)	
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
ISCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
1 Continuous slot (3) Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 34 ft. to 54 ft. From ft. to ft.										
SCREEN-	-PERFORA	TED INTERVALS:	From	34	ft. to	54	ft. F	rom f	t. to ft	
			From		ft. to		n. F	rom 1	t. to π	
GR	AVEL PA	CK INTERVALS:	From	32	ft. to	54	ft. F	rom f	t. to ft	
01.			From		ft. to		ft. F	rom f	t. to ft t. to ft	
(CDOI	TO BALAGER	DTAT . 1 Nost som		mant arout	(2)	ntonito	(1)Otha	r Congressos () 12		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1' Grout Intervals From 1 ft. to 32 ft. From ft. to ft. From ft. to ft.										
Grout Inte	rvais F	romto	32 II.	From		11. 10	IL	. FIOIII	11. 10	
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										
I	er lines	5 Cess pool						andoned water well	l below)	
1	•	er lines 6 Seepage p	it 9 Feedy					l well/ gas well		
Direction	from well?	NA			How m	any feet?	NA			
FROM	·TO	LITH	OLOGIC L	OG		FROM	TO	PLUGGING	INTERVALS	
0	0.7	Concrete								
0.7	5	Silt								
5	15	Medium, brown, loose,	ilt							
15	27	Fine, light brown, weak	y cemented,	silty sand						
27	35	Very fine grading to me	dium, light bi	rown, uncem	ented,					
		sand, with pea gravel								
35	54	Coarse, light brown, un	cemented, sar	ıd						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 8/6/14										
Kansas Wa	ter Well Cor	ntractor's License No.	757	. This W			as complete	d on (molda / year)	8/6/14	
		e of Larsen & Asso				nature)	- 3			
INSTRUCT	IONS: Please	e fill in blanks or circle the	correct answe	ers. Send top	three cop	ies to Kansas	Department	d Health and Environn	nent, Bureau of Water,	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department & Halth and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one of ATER WELL OWNER and retain one for										
your records.	your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									