

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Wyandotte		NE 1/4 NW 1/4 NW 1/4		9		T 11 S		R 24 EW	
Distance and direction from nearest town or city street address of well if located within city?									
7667 State Avenue; Kansas City, KS									
2 WATER WELL OWNER: Ultramar Diamond Shamrock									
RR#, St. Address, Box #: 520 E. 56th Ave									
City, State, ZIP Code: Denver, CO 80216									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 24.5' ft. ELEVATION:							
		Depth(s) Groundwater Encountered: Dry ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL: Dry ft. below land surface measured on mo/day/yr							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter: 8" in. to ft. and in. to ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well MW #8							
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was sub-							
		mitted							
		Water Well Disinfected? Yes No X							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped									
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded									
Blank casing diameter 2 in. to 1409 ft. Dia in. to ft. Dia in. to ft.									
Casing height above land surface: Flush in. weight 0.703 lbs./ft. Wall thickness or gauge No. Sch 40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)									
12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 14.9 ft. to 24.3 ft. From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 13 ft. to 24.5 ft. From ft. to ft. From ft. to ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From 0.25 ft. to 10 ft. From 10 ft. to 13 ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well									
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)									
13 Insecticide storage									
Direction from well? Southwest How many feet? 160'									
FROM TO LITHOLOGIC LOG		FROM TO PLUGGING INTERVALS							
0	24.2'	Well installed by others.	0	6"	Concrete				
			6"	2'	Clay (Fill)				
0	4"	Asphalt	2'	24.2'	Bentonite				
4"	25'	S. Hy clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-30-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 531 This Water Well Record was completed on (mo/day/yr) 2/9/98 under the business name of Geotechnical Services, Inc. by (signature) [Signature]									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									